PLANTILLAVENTASWDF-5181065-26-01-10-3 Documentation

Generated at:
11/3/2026, 6:56:26 p. m.

WadakaFun Potabilizadora

Esta aplicación permite llevar un registro diario de ventas para tu negocio

Esta aplicación permite llevar un registro diario de ventas para tu negocio. Esta basada en Purificadora de Agua WadakaFun

Data Summary	8 Tables 218 Columns 1 Slices
UX Summary	23 Views 64 Format Rules
Behavior Summary	45 Actions 0 Workflow Rules

Short Name	WadakaFun Potabilizadora
Short Description	Esta aplicación permite llevar un registro diario de ventas para tu negocio
Description	Esta aplicación permite llevar un registro diario de ventas para tu negocio. Esta basada en Purificadora de Agua WadakaFun
Version	1.000991
Default app folder	/appsheet/data/PLANTILLAVENTASWDF-5181065-26-01-10-3
Category	Personal Solution
Function	Accounting
Industry	Manufacturing
Runnable?	Yes
Deployable?	No
Personal use only?	No

Data

Tables

Table name VENTAS

Table name	VENTAS
Visible?	ALWAYS
Shared?	Yes
Data locale	es-VE
Schema	VENTAS_Schema
Are updates allowed?	ALL_CHANGES
Source Path	PLANTILLA VENTAS WDF
Worksheet Name/ Qualifier	VENTAS
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name _Per User Settings

Table name	_Per User Settings
Visible?	NEVER
Shared?	No
Data locale	en-US
Schema	_Per User Settings_Schema
Are updates allowed?	UPDATES_ONLY
Source Path	_Per User Settings
Data Source	native
Store for image and file capture	_Default
Column Order List	_RowNumber

Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Tasa

Table name	Tasa
Visible?	ALWAYS
Shared?	Yes
Data locale	en-US
Schema	Tasa_Schema
Are updates allowed?	ALL_CHANGES
Source Path	Tasa BCV
Worksheet Name/ Qualifier	Tasa
Data Source	google_tables
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name PRECIOS

Table name	PRECIOS
Visible?	ALWAYS
Shared?	Yes
Data locale	es-VE
Schema	PRECIOS_Schema
Are updates allowed?	ALL_CHANGES
Source Path	PLANTILLA VENTAS WDF
Worksheet Name/ Qualifier	PRECIOS
Data Source	google

Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name DETALLE_VENTAS

Table name	DETALLE_VENTAS
Visible?	ALWAYS
Shared?	Yes
Data locale	es-VE
Schema	DETALLE_VENTAS_Schema
Are updates allowed?	ALL_CHANGES
Source Path	PLANTILLA VENTAS WDF
Worksheet Name/ Qualifier	DETALLE_VENTAS
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Records ventas

Table name	Records ventas
Visible?	ALWAYS
Shared?	Yes
Data locale	es-VE
Schema	Records ventas_Schema
Are updates allowed?	ALL_CHANGES
Source Path	Records venta WadakaFun

Worksheet Name/ Qualifier	Records ventas
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Tasa BCV

Table name	Tasa BCV
Visible?	ALWAYS
Shared?	Yes
Data locale	es-VE
Schema	Tasa BCV_Schema
Are updates allowed?	ALL_CHANGES
Source Path	PLANTILLA VENTAS WDF
Worksheet Name/ Qualifier	Tasa BCV
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Table name Filtros_Fechas

Table name	Filtros_Fechas
Visible?	ALWAYS
Shared?	Yes
Data locale	es-MX
Schema	Filtros_Fechas_Schema

Are updates allowed?	ALL_CHANGES
Source Path	Filtros_Fechas
Worksheet Name/ Qualifier	Filtros_Fechas
Data Source	google
Store for image and file capture	_Default
Column Order List	_RowNumber
Partitioned across many files/sources?	No
Partitioned across many worksheets?	No

Columns

Schema Name VENTAS_Schema

Schema Name	VENTAS_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes

Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_VENTA

Column name	ID_VENTA
Visible?	ALWAYS
Display name	=codigo
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No

Scannable	No
Sensitive data	No

Column 3: Tasa_Venta

Column name	Tasa_Venta
Visible?	ALWAYS
Description	=Esta es la tasa a la cual se vendió el producto
Display name	=Tasa de venta oficial
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=ANY(Tasa[Tasa])
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 4: Fecha

Column name	Fecha
Visible?	ALWAYS

Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=NOW()TODAY()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Cliente

Column name	Cliente
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": [],"AllowOtherValues":true,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Dropdown","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":

	"=SORT(UNIQUE(Records ventas[Cliente]))"}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 6: Teléfono

Column name	Teléfono
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP([_THISROW].[Cliente], "Records ventas", "Cliente", "Teléfono")
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Tipo de pago

Column name	Tipo de pago
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["💵 Efectivo","📱 Pago Móvil","💳 Punto de Venta"],"AllowOtherValues":false,"AutoCompleteOtherValues":false,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE

Searchable	No
Scannable	No
Sensitive data	No

Column 8: Dirección

Column name	Dirección
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP([_THISROW].[Cliente], "Records ventas", "Cliente", "Dirección")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Cedula

Column name	Cedula
Visible?	ALWAYS
Display name	=Cédula

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP([_THISROW].[Cliente], "Records ventas", "Cliente", "Cedula")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Producto

Column name	Producto
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues":["19L","15L","10L","5L","1L","BIDON","HIELO GRANDE","HIELO PEQUEÑO","HELADO TETA","SANDUCHE PERNIL","SANDUCHE POLLO","SANDUCHE PAVO","SANDUCHE QUESO","SANDUCHE JAMON","SANDUCHE JAMON Y QUESO","TE CALIENTE","TE FRIO","JUGO","COCADA","JUGO DE CAÑA","AGUA DE COCO 1L","AGUA DE COCO VASO"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null

	,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":"=PRECIOS[Producto]"}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Cant.

Column name	Cant.
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: RIF

Column name	RIF
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=LOOKUP([_THISROW].[Cliente], "Records ventas", "Cliente", "Rif")
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: Ultimo_Envio

Column name	Ultimo_Envio
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: Ultimo_Update

Column name	Ultimo_Update
Visible?	ALWAYS
Type	DateTime

Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":"=true","Suggested_Values":null}
App formula	=NOW()
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	=true
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: Total venta en Bolivares

Column name	Total venta en Bolivares
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"Bs.","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM([Related DETALLE_VENTASs][Subtotal]) * [Tasa_Venta]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 16: Fecha de la venta

Column name	Fecha de la venta
Visible?	ALWAYS
Display name	=Fecha
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=TEXT([Fecha], "DD/MM/YY H:MM AM/PM")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE

Searchable	No
Scannable	No
Sensitive data	No

Column 17: Total_Productos_Dia

Column name	Total_Productos_Dia
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(VENTAS[Cant.], [Fecha de la venta] = [_THISROW].[Fecha de la venta]))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 18: Cantidad total de Productos

Column name	Cantidad total de Productos
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM([Related DETALLE_VENTASs][Cantidad])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 19: Related DETALLE_VENTASs

Column name	Related DETALLE_VENTASs
Visible?	ALWAYS
Description	=Agregar Producto
Display name	=Total de productos:
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"DETALLE_VENTAS\",\"ReferencedRootTableName\":\"DETALLE_VENTAS\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\

	\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Detalle\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":"=ISNOTBLANK([_THIS])","Error_Message_If_Invalid":"=Debes agregar al menos un producto antes de continuar","Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("DETALLE_VENTAS", "ID_Venta")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	No
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 20: Info_Visual_Deck

Column name	Info_Visual_Deck
Visible?	ALWAYS
Display name	=Productos
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain

	Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("$", [Total de venta en Dolares], " • ", SUBSTITUTE([Related DETALLE_VENTASs][ResumenItem], ",", " • "))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 21: Total de venta en Dolares

Column name	Total de venta en Dolares
Visible?	ALWAYS
Display name	=Total en Dólares
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM([Related DETALLE_VENTASs][Subtotal])
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Resumen en dolares y bolivares visual

Column name	Resumen en dolares y bolivares visual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":0,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE(TEXT([Total de venta en Dolares]),"|", TEXT([Total venta en Bolivares]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 23: cliente mas total en bolivares mas total en dolares

Column name	cliente mas total en bolivares mas total en dolares
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("Bs", [Total venta en Bolivares], " | ", UPPER([Cliente]), " | ", TEXT([Fecha], "H:MM AM/PM"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 24: Seccion_Productos

Column name	Seccion_Productos
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":"=🛒 Selección de Productos","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 25: Seccion_Cliente

Column name	Seccion_Cliente
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":"=🧑 Datos del Cliente","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=""
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 26: Estatus_Envio

Column name	Estatus_Envio
Visible?	ALWAYS
Display name	=Estatus
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IFS(ISBLANK([Ultimo_Envio]), "🕒 Pendiente por registrar", [Ultimo_Update] > [Ultimo_Envio], "🕒 Pendiente por registrar (editado)", [Ultimo_Envio] >= [Ultimo_Update], "✓ Venta registrada")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 27: Borrar

Column name	Borrar
Visible?	ALWAYS
Display name	=" "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=" "
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 28: Dia

Column name	Dia
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE(TEXT([Fecha], "YYYY/MM/DD"), " - ", UPPER(TEXT([Fecha], "DDDD")))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 29: Info_Visual_Deck2

Column name	Info_Visual_Deck2
Visible?	ALWAYS
Display name	=Productos
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_I

	f_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUBSTITUTE([Related DETALLE_VENTASs][ResumenItem], ",", " • ")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 30: Fecha_Solo_Dia

Column name	Fecha_Solo_Dia
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Fecha]
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 31: Año_Mes

Column name	Año_Mes
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE(YEAR([Fecha_Solo_Dia]), "-", TEXT(MONTH([Fecha_Solo_Dia])))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	Yes
Scannable	No

Sensitive data	No

Column 32: Fecha_Para_Conteo

Column name	Fecha_Para_Conteo
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=DATE([Fecha])
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 33: Mes_Para_Conteo

Column name	Mes_Para_Conteo
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=MONTH([Fecha])
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Schema Name _Per User Settings_Schema

Schema Name	_Per User Settings_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: _EMAIL

Column name	_EMAIL
Visible?	ALWAYS
Type	Email
Type Qualifier	{"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USEREMAIL()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No

Scannable	No
Sensitive data	No

Column 3: _NAME

Column name	_NAME
Visible?	ALWAYS
Type	Name
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	USERNAME()
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 4: _LOCATION

Column name	_LOCATION
Visible?	ALWAYS
Type	LatLong

Type Qualifier	{"RealTime":false,"PublishIfRowKey":null,"KMLFileUrl":null,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Options Heading

Column name	Options Heading
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"\"These options control the content and behavior of the app\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Option 1

Column name	Option 1
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Option 2

Column name	Option 2
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Country Option

Column name	Country Option
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["Australia","Brazil","Canada"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null, \"LongTextFormatting\":\"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null,

	\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Language Option

Column name	Language Option
Visible?	ALWAYS
Type	Enum
Type Qualifier	{"EnumValues": ["English","French","Tamil"],"AllowOtherValues":false,"AutoCompleteOtherValues":true,"BaseType":"Text","BaseTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","EnumInputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Option 5

Column name	Option 5
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 11: Option 6

Column name	Option 6
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Option 7

Column name	Option 7
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Option 8

Column name	Option 8
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 14: Option 9

Column name	Option 9
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No

Sensitive data	No

Column 15: _THISUSER

Column name	_THISUSER
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	onlyvalue
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Tasa_Schema

Schema Name	Tasa_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Row ID

Column name	Row ID
Visible?	ALWAYS
Description	ID of this row
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	UNIQUEID("PackedUUID")
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	Yes
Editable Initial Value?	No
Virtual?	No
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Tasa

Column name	Tasa
Visible?	ALWAYS
Display name	="Ingrese la tasa BCV del día (" & TODAY() & "):"
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
Initial value	=ANY(SELECT(Tasa BCV[BCV (Bs/$)], [_RowNumber] = MAX(Tasa BCV[_RowNumber])))
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 4: Ultima_Actualizacion

Column name	Ultima_Actualizacion
Visible?	ALWAYS
Type	ChangeTimestamp
Type Qualifier	{"ChangeColumns":["Tasa"],"ChangeValues":[],"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	NOW()
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	en-US
Searchable	Yes
Scannable	No

NFC Scannable	No
Sensitive data	No

Column 5: Total ventas en Dólares (Hoy)

Column name	Total ventas en Dólares (Hoy)
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(VENTAS[Total de venta en Dolares], DATE([Fecha]) = TODAY()))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Total Ventas en Bolívares (Hoy)

Column name	Total Ventas en Bolívares (Hoy)
Visible?	ALWAYS
Type	Price

Type Qualifier	{"CurrencySymbol":"Bs.","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Label","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(VENTAS[Total venta en Bolivares], DATE([Fecha]) = TODAY()))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Clientes Atendidos (Hoy)

Column name	Clientes Atendidos (Hoy)
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(VENTAS[ID_VENTA], DATE([Fecha]) = TODAY()))
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Total de Productos Vendidos (Unidades totales)

Column name	Total de Productos Vendidos (Unidades totales)
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Standard","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(DETALLE_VENTAS[Cantidad], DATE([ID_Venta].[Fecha]) = TODAY()))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Lista de Productos Vendidos (Hoy)

Column name	Lista de Productos Vendidos (Hoy)
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=UNIQUE(SELECT(DETALLE_VENTAS[Producto], DATE([ID_Venta].[Fecha]) = TODAY()))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Separador_Resumen

Column name	Separador_Resumen
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Page_Header","Content":"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=¨ ¨
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 11: VC_Resumen_Dolares

Column name	VC_Resumen_Dolares
Visible?	ALWAYS
Display name	=" "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=IF([Total ventas en Dólares (Hoy)] = 0, "", CONCATENATE("Total ventas en dólares: $", [Total ventas en Dólares (Hoy)]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Vc_ClientesAtendidos

Column name	Vc_ClientesAtendidos
Visible?	ALWAYS
Display name	=" "
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(COUNT(UNIQUE(SELECT(Ventas[Cliente], DATE([Fecha]) = TODAY()))) = 0, "Transacciones totales hoy: 0", CONCATENATE("Transacciones totales hoy: ", COUNT(UNIQUE(SELECT(Ventas[Cliente], DATE([Fecha]) = TODAY())))))
Read-Only	Yes
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 13: vc_totaldeproductosvendidos

Column name	vc_totaldeproductosvendidos
Visible?	ALWAYS
Display name	=¨ ¨
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Total de Productos Vendidos (Unidades totales)] = 0, "", CONCATENATE("Total de productos vendidos (unidades totales): ", [Total de Productos Vendidos (Unidades totales)]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: vc_listadeProdcutos

Column name	vc_listadeProdcutos
Visible?	ALWAYS
Display name	=¨ ¨
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISBLANK([Lista de Productos Vendidos (Hoy)]), "", CONCATENATE("Productos vendidos: ", [Lista de Productos Vendidos (Hoy)]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No

Sensitive data	No

Column 15: Vc_ventaenbolivares

Column name	Vc_ventaenbolivares
Visible?	ALWAYS
Display name	=¨ ¨
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Total Ventas en Bolívares (Hoy)] = 0, "", CONCATENATE("Total ventas en bolívares: ", TEXT([Total Ventas en Bolívares (Hoy)])))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: Fecha

Column name	Fecha
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("Resumen diario - ", INDEX({"Domingo", "Lunes", "Martes", "Miércoles", "Jueves", "Viernes", "Sábado"}, WEEKDAY(TODAY())))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: VC_Tasa_Visual

Column name	VC_Tasa_Visual
Visible?	ALWAYS
Display name	=¨ ¨
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("Tasa actualizada el ", TEXT([Ultima_Actualizacion], "DD/MM/YY - HH:MM AM/PM")

	)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: Header_Reporte

Column name	Header_Reporte
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Section_Header","Content":"=\" \"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":"=OR(\n [Total ventas en Dólares (Hoy)] > 0,\n [Total Ventas en Bolívares (Hoy)] > 0,\n [Clientes Atendidos (Hoy)] > 0,\n [Total de Productos Vendidos (Unidades totales)] > 0\n)","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=" "
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 19: tasa formateada

Column name	tasa formateada
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("Ajustar tasa: ", [Tasa], " Bs")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No

Sensitive data	No

Column 20: SUGERENCIA BCV

Column name	SUGERENCIA BCV
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("Valor sugerido: ", LOOKUP(MAXROW("Tasa BCV", "_RowNumber"), "Tasa BCV", "BCV (Bs/$)", "BCV (Bs/$)"), " Bs/$. (Datos recopilados de API BCV; puede estar incorrecto. La sugerencia se actualiza cada hora.) Haz clic aquí para aplicar esta tasa.")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 21: Semana_Numero

Column name	Semana_Numero
Visible?	ALWAYS

Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=WEEKNUM(TODAY())
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 22: Semana_Año

Column name	Semana_Año
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=YEAR(TODAY())
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 23: Fecha_Inicio_Semana

Column name	Fecha_Inicio_Semana
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=TODAY() - MOD(WEEKDAY(TODAY()) + 5, 7)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes

Scannable	No
Sensitive data	No

Column 24: Fecha_Fin_Semana

Column name	Fecha_Fin_Semana
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Fecha_Inicio_Semana] + 6
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Total_Ventas_Dolares_Semana

Column name	Total_Ventas_Dolares_Semana
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"E

	ditable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(VENTAS[Total de venta en Dolares], AND([Fecha] >= [Fecha_Inicio_Semana], [Fecha] <= [Fecha_Fin_Semana])))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 26: Total_Ventas_Bolivares_Semana

Column name	Total_Ventas_Bolivares_Semana
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(VENTAS[Total venta en Bolivares], AND([Fecha] >= [Fecha_Inicio_Semana], [Fecha] <= [Fecha_Fin_Semana])))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 27: Clientes_Atendidos_Semana

Column name	Clientes_Atendidos_Semana
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(VENTAS[Cliente], AND([Fecha] >= [Fecha_Inicio_Semana], [Fecha] <= [Fecha_Fin_Semana], ISNOTBLANK([Cliente]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 28: Total_Productos_Vendidos_Semana

Column name	Total_Productos_Vendidos_Semana
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":10,"MinValue":1,"StepValue":null,"NumericDigits":1,"ShowThousandsSeparator":true,"NumberDisplayMode":"Range","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(DETALLE_VENTAS[Cantidad], AND([ID_VENTA].[Fecha] >= [Fecha_Inicio_Semana], [ID_VENTA].[Fecha] <= [Fecha_Fin_Semana])))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 29: Lista_Productos_Vendidos_Semana

Column name	Lista_Productos_Vendidos_Semana

Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE(UNIQUE(SELECT(DETALLE_VENTAS[Producto], AND([ID_VENTA].[Fecha] >= [Fecha_Inicio_Semana], [ID_VENTA].[Fecha] <= [Fecha_Fin_Semana]))), ", ")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 30: Tasa_Promedio_Semana

Column name	Tasa_Promedio_Semana
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=AVERAGE(SELECT(Tasa[Tasa], AND([Ultima_Actualizacion] >= [Fecha_Inicio_Semana], [Ultima_Actualizacion] <= [Fecha_Fin_Semana])))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 31: Dias_Con_Ventas_Semana

Column name	Dias_Con_Ventas_Semana
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(UNIQUE(SELECT(VENTAS[Fecha_Para_Conteo], AND([Fecha_Para_Conteo] >= [_THISROW].[Fecha_Inicio_Semana], [Fecha_Para_Conteo] <= [_THISROW].[Fecha_Fin_Semana]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 32: VC_Semana_Header

Column name	VC_Semana_Header
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("Resumen semanal - Semana ", WEEKNUM(TODAY()), " (", TEXT([Fecha_Inicio_Semana], "DD/MM"), " - ", TEXT([Fecha_Fin_Semana], "DD/MM/YYYY"), ")")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 33: VC_Tasa_Semanal_Visual

Column name	VC_Tasa_Semanal_Visual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("💱 Tasa Promedio: Bs. ", [Tasa_Promedio_Semana])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 34: VC_Total_Dolares_Semana

Column name	VC_Total_Dolares_Semana
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Total_Ventas_Dolares_Semana] > 0, CONCATENATE("Total ventas en dólares: $", [Total_Ventas_Dolares_Semana]), "⏳ Sin ventas esta semana")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 35: VC_Total_Bolivares_Semana

Column name	VC_Total_Bolivares_Semana
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=IF([Total_Ventas_Bolivares_Semana] > 0, CONCATENATE("Total ventas en bolívares: Bs.", [Total_Ventas_Bolivares_Semana]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 36: VC_Clientes_Semana

Column name	VC_Clientes_Semana
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Clientes_Atendidos_Semana] > 0, CONCATENATE("Transacciones totales semana: ", [Clientes_Atendidos_Semana]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 37: VC_Productos_Semana

Column name	VC_Productos_Semana
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Total_Productos_Vendidos_Semana] > 0, CONCATENATE("Total de productos vendidos (unidades totales): ", [Total_Productos_Vendidos_Semana], " unidades"), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 38: VC_Dias_Activos_Semana

Column name	VC_Dias_Activos_Semana
Visible?	ALWAYS
Display name	=Dias activos a la semana
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(UNIQUE(SELECT(VENTAS[Fecha_Solo_Dia], AND(ISNOTBLANK([Fecha_Solo_Dia]), [Fecha_Solo_Dia] >= [_THISROW].[Fecha_Inicio_Semana], [Fecha_Solo_Dia] <= [_THISROW].[Fecha_Fin_Semana]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 39: VC_Dias_Activos_Label

Column name	VC_Dias_Activos_Label
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("Días activos: ", [VC_Dias_Activos_Semana])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 40: VC_Lista_Productos_Semana

Column name	VC_Lista_Productos_Semana
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=IF(ISNOTBLANK(UNIQUE(SELECT(DETALLE_VENTAS[Producto], AND(MONTH([Fecha_Venta]) = MONTH(TODAY()), WEEKNUM([Fecha_Venta]) = WEEKNUM(TODAY()), YEAR([Fecha_Venta]) = YEAR(TODAY()), ISNOTBLANK([Producto]))))), CONCATENATE("Productos vendidos: ", CONCATENATE(UNIQUE(SELECT(DETALLE_VENTAS[Producto], AND(MONTH([Fecha_Venta]) = MONTH(TODAY()), WEEKNUM([Fecha_Venta]) = WEEKNUM(TODAY()), YEAR([Fecha_Venta]) = YEAR(TODAY()), ISNOTBLANK([Producto])))), ", ")), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 41: Mes_Actual

Column name	Mes_Actual
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=TEXT(TODAY(), "MMMM YYYY")

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 42: Mes_Numero

Column name	Mes_Numero
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=MONTH(TODAY())
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 43: Año_Actual

Column name	Año_Actual
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=YEAR(TODAY())
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 44: Fecha_Inicio_Mes

Column name	Fecha_Inicio_Mes
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=TODAY() - DAY(TODAY()) + 1
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 45: Fecha_Fin_Mes

Column name	Fecha_Fin_Mes
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=TODAY() - DAY(TODAY()) + 1 + 31 - DAY(TODAY() - DAY(TODAY()) + 1 + 31)
Read-Only	Yes
Hidden	No
Label	No

Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 46: Total_Ventas_Dolares_Mes

Column name	Total_Ventas_Dolares_Mes
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(VENTAS[Total de venta en Dolares], AND(MONTH([Fecha]) = MONTH(TODAY()), YEAR([Fecha]) = YEAR(TODAY()))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 47: Total_Ventas_Bolivares_Mes

Column name	Total_Ventas_Bolivares_Mes
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(VENTAS[Total venta en Bolivares], AND(MONTH([Fecha]) = MONTH(TODAY()), YEAR([Fecha]) = YEAR(TODAY()))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 48: Clientes_Atendidos_Mes

Column name	Clientes_Atendidos_Mes
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(VENTAS[Cliente], AND(MONTH([Fecha]) = MONTH(TODAY()), YEAR([Fecha]) = YEAR(TODAY()), ISNOTBLANK([Cliente]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 49: Total_Productos_Vendidos_Mes

Column name	Total_Productos_Vendidos_Mes
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":10,"MinValue":1,"StepValue":null,"NumericDigits":1,"ShowThousandsSeparator":true,"NumberDisplayMode":"Range","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=SUM(SELECT(DETALLE_VENTAS[Cantidad], AND(MONTH([Fecha_Venta]) = MONTH(TODAY()), YEAR([fecha_Venta]) = YEAR(TODAY()))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 50: Dias_Con_Ventas_Mes

Column name	Dias_Con_Ventas_Mes
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(UNIQUE(SELECT(VENTAS[Fecha_Solo_Dia], AND(ISNOTBLANK([Fecha_Solo_Dia]), MONTH([Fecha]) = MONTH(TODAY()), YEAR([Fecha]) = YEAR(TODAY())))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 51: VC_Mes_Header

Column name	VC_Mes_Header
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("Resumen mensual - ", UPPER(LEFT(TEXT(TODAY(), "MMMM"), 1)), RIGHT(TEXT(TODAY(), "MMMM"), LEN(TEXT(TODAY(), "MMMM")) - 1), " ", YEAR(TODAY()))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 52: VC_Total_Dolares_Mes

Column name	VC_Total_Dolares_Mes
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Total_Ventas_Dolares_Mes] > 0, CONCATENATE("Total ventas en dólares: $", [Total_Ventas_Dolares_Mes]), "Sin ventas este mes")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 53: VC_Total_Bolivares_Mes

Column name	VC_Total_Bolivares_Mes

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Total_Ventas_Bolivares_Mes] > 0, CONCATENATE("Total Ventas en bolívares: Bs.", [Total_Ventas_Bolivares_Mes]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 54: VC_Clientes_Mes

Column name	VC_Clientes_Mes
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Clientes_Atendidos_Mes] > 0, CONCATENATE("Transacciones totales mes: ",

	[Clientes_Atendidos_Mes]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 55: VC_Productos_Mes

Column name	VC_Productos_Mes
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Total_Productos_Vendidos_Mes] > 0, CONCATENATE("Total productos vendidos (unidades totales): ", [Total_Productos_Vendidos_Mes], " unidades"), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 56: VC_Dias_Activos_Mes

Column name	VC_Dias_Activos_Mes
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Dias_Con_Ventas_Mes] > 0, CONCATENATE("Días activos: ", [Dias_Con_Ventas_Mes]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes

Scannable	No
Sensitive data	No

Column 57: Lista_Productos_Vendidos_Mes

Column name	Lista_Productos_Vendidos_Mes
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE(UNIQUE(SELECT(DETALLE_VENTAS[Producto], AND(MONTH([Fecha_Venta]) = MONTH(TODAY()), YEAR([Fecha_Venta]) = YEAR(TODAY()), ISNOTBLANK([Producto])))), ", ")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 58: VC_Lista_Productos_Mes

Column name	VC_Lista_Productos_Mes
Visible?	ALWAYS

Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([Lista_Productos_Vendidos_Mes]), CONCATENATE("Productos vendidos: ", [Lista_Productos_Vendidos_Mes]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 59: Total_Ventas_Dolares_Año

Column name	Total_Ventas_Dolares_Año
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(VENTAS[Total de venta en Dolares], YEAR([Fecha]) = YEAR(TODAY())))

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 60: Total_Ventas_Bolivares_Año

Column name	Total_Ventas_Bolivares_Año
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(VENTAS[Tasa_Venta], YEAR([Fecha]) = YEAR(TODAY())))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 61: Clientes_Atendidos_Año

Column name	Clientes_Atendidos_Año
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(VENTAS[Cliente], AND(YEAR([Fecha]) = YEAR(TODAY()), ISNOTBLANK([Cliente]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 62: Total_Productos_Vendidos_Año

Column name	Total_Productos_Vendidos_Año
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":10,"MinValue":1,"StepValue":null,"NumericDigits":1,"ShowThousandsSeparator":true,"NumberDisplayMode":"Range","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(DETALLE_VENTAS[Cantidad], YEAR([Fecha_Venta]) = YEAR(TODAY())))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 63: Meses_Con_Ventas_Año

Column name	Meses_Con_Ventas_Año
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggeste

	d_Values":null}
App formula	=COUNT(SELECT(VENTAS[Mes_Para_Conteo], AND(YEAR([Fecha]) = YEAR(TODAY()), ISNOTBLANK([Mes_Para_Conteo]))) - LIST(""))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 64: Dias_Con_Ventas_Año

Column name	Dias_Con_Ventas_Año
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(UNIQUE(SELECT(VENTAS[Fecha_Para_Conteo], AND(YEAR([Fecha]) = YEAR(TODAY()), ISNOTBLANK([Fecha_Para_Conteo])))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 65: Lista_Productos_Vendidos_Año

Column name	Lista_Productos_Vendidos_Año
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE(UNIQUE(SELECT(DETALLE_VENTAS[Producto], AND(YEAR([Fecha_Venta]) = YEAR(TODAY()), ISNOTBLANK([Producto])))), ", ")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 66: VC_Año_Header

Column name	VC_Año_Header
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("Resumen anual - ", YEAR(TODAY()))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 67: VC_Dias_Activos_Año

Column name	VC_Dias_Activos_Año
Visible?	ALWAYS

Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Dias_Con_Ventas_Año] > 0, CONCATENATE("Días activos: ", [Dias_Con_Ventas_Año]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 68: VC_Total_Dolares_Año

Column name	VC_Total_Dolares_Año
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Total_Ventas_Dolares_Año] > 0, CONCATENATE("Total ventas en dólares: $", [Total_Ventas_Dolares_Año]), "")
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 69: VC_Total_Bolivares_Año

Column name	VC_Total_Bolivares_Año
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"Bs.","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(VENTAS[Total venta en Bolivares], YEAR([Fecha]) = YEAR(TODAY())))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 70: VC_Clientes_Año

Column name	VC_Clientes_Año
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Clientes_Atendidos_Año] > 0, CONCATENATE("Transacciones totales año: ", [Clientes_Atendidos_Año]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 71: VC_Productos_Año

Column name	VC_Productos_Año
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Total_Productos_Vendidos_Año] > 0, CONCATENATE("Total productos vendidos (unidades totales): ", [Total_Productos_Vendidos_Año], " unidades"), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 72: VC_Meses_Activos_Año

Column name	VC_Meses_Activos_Año
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_I

	f_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Meses_Con_Ventas_Año] > 0, CONCATENATE("Meses con ventas: ", [Meses_Con_Ventas_Año]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 73: VC_Lista_Productos_Año

Column name	VC_Lista_Productos_Año
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([Lista_Productos_Vendidos_Año]), CONCATENATE("Productos vendidos: ", [Lista_Productos_Vendidos_Año]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 74: Filtro_Fecha_Inicio

Column name	Filtro_Fecha_Inicio
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP("1", "Filtros_Fechas", "ID_Filtro", "Fecha_Inicio")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No

Sensitive data	No

Column 75: Filtro_Fecha_Fin

Column name	Filtro_Fecha_Fin
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=LOOKUP("1", "Filtros_Fechas", "ID_Filtro", "Fecha_Fin")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 76: Filtro_Nombre_Periodo

Column name	Filtro_Nombre_Periodo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}

App formula	=LOOKUP("1", "Filtros_Fechas", "ID_Filtro", "Nombre_Periodo")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 77: Total_Ventas_Dolares_Rango

Column name	Total_Ventas_Dolares_Rango
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(VENTAS[Total de venta en Dolares], AND([Fecha] >= [Filtro_Fecha_Inicio], [Fecha] <= [Filtro_Fecha_Fin], ISNOTBLANK([Fecha]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 78: Total_Ventas_Bolivares_Rango

Column name	Total_Ventas_Bolivares_Rango
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(VENTAS[Tasa_Venta], AND([Fecha] >= [Filtro_Fecha_Inicio], [Fecha] <= [Filtro_Fecha_Fin], ISNOTBLANK([Fecha]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No

Scannable	No
Sensitive data	No

Column 79: Clientes_Atendidos_Rango

Column name	Clientes_Atendidos_Rango
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(VENTAS[Cliente], AND([Fecha] >= [Filtro_Fecha_Inicio], [Fecha] <= [Filtro_Fecha_Fin], ISNOTBLANK([Cliente]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 80: Total_Productos_Vendidos_Rango

Column name	Total_Productos_Vendidos_Rango
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":10,"MinValue":1,"StepValue":null,"NumericDigits":1,"ShowThousandsSeparator":true,"NumberDisplayMode":"Range","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(DETALLE_VENTAS[Cantidad], AND([Fecha_Venta] >= [Filtro_Fecha_Inicio], [Fecha_Venta] <= [Filtro_Fecha_Fin], ISNOTBLANK([Fecha_Venta]))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 81: Dias_Con_Ventas_Rango

Column name	Dias_Con_Ventas_Rango
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(UNIQUE(SELECT(VENTAS[Fecha_Solo_Dia], AND([Fecha] >= [Filtro_Fecha_Inicio], [Fecha] <= [Filtro_Fecha_Fin], ISNOTBLANK([Fecha_Solo_Dia])))))

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 82: Lista_Productos_Rango

Column name	Lista_Productos_Rango
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE(UNIQUE(SELECT(DETALLE_VENTAS[Producto], AND([Fecha_Venta] >= [Filtro_Fecha_Inicio], [Fecha_Venta] <= [Filtro_Fecha_Fin], ISNOTBLANK([Producto])))), ", ")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 83: VC_Rango_Header

Column name	VC_Rango_Header
Visible?	ALWAYS
Display name	=Resumen
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=UPPER(IF(ISNOTBLANK([Filtro_Nombre_Periodo]), CONCATENATE("", [Filtro_Nombre_Periodo], " (", TEXT([Filtro_Fecha_Inicio], "DD/MM/YY"), " - ", TEXT([Filtro_Fecha_Fin], "DD/MM/YY"), ")"), CONCATENATE("Período Personalizado (", TEXT([Filtro_Fecha_Inicio], "DD/MM/YY"), " - ", TEXT([Filtro_Fecha_Fin], "DD/MM/YY"), ")")))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 84: VC_Dias_Activos_Rango

Column name	VC_Dias_Activos_Rango
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Dias_Con_Ventas_Rango] > 0, CONCATENATE("Días activos: ", [Dias_Con_Ventas_Rango]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 85: VC_Total_Dolares_Rango

Column name	VC_Total_Dolares_Rango

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Total_Ventas_Dolares_Rango] > 0, CONCATENATE("Total ventas en dólares: $", [Total_Ventas_Dolares_Rango]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 86: VC_Total_Bolivares_Rango

Column name	VC_Total_Bolivares_Rango
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Total_Ventas_Bolivares_Rango] > 0, CONCATENATE("Total Ventas en bolívares: ", [Total_Ventas_Bolivares_Rango],

	" Bs"), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 87: VC_Clientes_Rango

Column name	VC_Clientes_Rango
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Clientes_Atendidos_Rango] > 0, CONCATENATE("Clientes atendidos: ", [Clientes_Atendidos_Rango]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 88: VC_Productos_Rango

Column name	VC_Productos_Rango
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Total_Productos_Vendidos_Rango] > 0, CONCATENATE("Total productos vendidos (unidades totales): ", [Total_Productos_Vendidos_Rango], " unidades"), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes

Scannable	No
Sensitive data	No

Column 89: VC_Lista_Productos_Rango

Column name	VC_Lista_Productos_Rango
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([Lista_Productos_Rango]), CONCATENATE("Productos vendidos: ", [Lista_Productos_Rango]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 90: Boton_Filtro

Column name	Boton_Filtro
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	="Filtrar por fecha: obten un resumen filtrado por rango de fecha personalizado."
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 91: Clientes_Unicos_Semana

Column name	Clientes_Unicos_Semana
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(UNIQUE(SELECT(VENTAS[Cliente], AND([Fecha] >= [_THISROW].[Fecha_Inicio_Semana], [Fecha] <= [_THISROW].[Fecha_Fin_Semana], ISNOTBLANK([Cliente])))))
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 92: VC_Clientes_Unicos_Semana

Column name	VC_Clientes_Unicos_Semana
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Clientes_Unicos_Semana] > 0, CONCATENATE("Clientes únicos semana: ", [Clientes_Unicos_Semana]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 93: Clientes_Unicos_Mes

Column name	Clientes_Unicos_Mes
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(UNIQUE(SELECT(VENTAS[Cliente], AND(MONTH([Fecha]) = MONTH(TODAY()), YEAR([Fecha]) = YEAR(TODAY()), ISNOTBLANK([Cliente])))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 94: VC_Clientes_Unicos_Mes

Column name	VC_Clientes_Unicos_Mes
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Clientes_Unicos_Mes] > 0, CONCATENATE("Clientes únicos mes: ", [Clientes_Unicos_Mes]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 95: Clientes_Unicos_Ano

Column name	Clientes_Unicos_Ano
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggeste

	d_Values":null}
App formula	=COUNT(UNIQUE(SELECT(VENTAS[Cliente], AND(YEAR([Fecha]) = YEAR(TODAY()), ISNOTBLANK([Cliente])))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 96: VC_Clientes_Unicos_Ano

Column name	VC_Clientes_Unicos_Ano
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Clientes_Unicos_Ano] > 0, CONCATENATE("Clientes únicos año: ", [Clientes_Unicos_Ano]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 97: Clientes_Unicos_Hoy

Column name	Clientes_Unicos_Hoy
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Clientes_Unicos_Hoy] > 0, CONCATENATE("Clientes únicos hoy: ", [Clientes_Unicos_Hoy]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US

Searchable	No
Scannable	No
Sensitive data	No

Column 98: VC_Clientes_Unicos_Hoy

Column name	VC_Clientes_Unicos_Hoy
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Clientes_Unicos_Hoy] > 0, CONCATENATE("Clientes únicos: ", [Clientes_Unicos_Hoy]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 99: Clientes_Unicos_Rango

Column name	Clientes_Unicos_Rango
Visible?	ALWAYS
Type	Number

Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(UNIQUE(SELECT(VENTAS[Cliente], AND([Fecha] >= [_THISROW].[Filtro_Fecha_Inicio], [Fecha] <= [_THISROW].[Filtro_Fecha_Fin], ISNOTBLANK([Cliente])))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 100: VC_Clientes_Unicos_Rango

Column name	VC_Clientes_Unicos_Rango
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Clientes_Unicos_Rango] > 0, CONCATENATE("Clientes únicos: ", [Clientes_Unicos_Rango]), "")
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 101: Vc_Header_resumen

Column name	Vc_Header_resumen
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Section_Header","Content":"=\"Este panel ofrece una visión consolidada del rendimiento de su negocio en tiempo real. Aquí podrá monitorear el flujo de ventas, transacciones y volumen de productos despachados mediante resúmenes estratégicos\"","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=¨ ¨
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 102: Sugerencia BCV show

Column name	Sugerencia BCV show
Visible?	ALWAYS
Type	Show
Type Qualifier	{"Category":"Text","Content":"=CONCATENATE(\n \"Valor sugerido: \", \n LOOKUP(MAXROW(\"Tasa BCV\", \"_RowNumber\"), \"Tasa BCV\", \"BCV (Bs/$)\", \"BCV (Bs/$)\"),\n \" Bs/$. (Datos recopilados de API BCV). \")","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("Valor sugerido: ", LOOKUP(MAXROW("Tasa BCV", "_RowNumber"), "Tasa BCV", "BCV (Bs/$)", "BCV (Bs/$)"), " Bs/$. (Datos recopilados de API BCV; puede estar incorrecto. La sugerencia se actualiza cada hora).")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes

LocaleName	en-US
Searchable	No
Scannable	No
Sensitive data	No

Column 103: Alerta Tasa

Column name	Alerta Tasa
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IFS(HOUR(NOW() - LOOKUP(MAXROW("Tasa BCV", "_RowNumber"), "Tasa BCV", "_RowNumber", "fecha actualizacion")) >= 24, "⚠️ ERROR: La tasa tiene más de 24 horas sin actualizar. Verifique manualmente.", HOUR(NOW() - LOOKUP(MAXROW("Tasa BCV", "_RowNumber"), "Tasa BCV", "_RowNumber", "fecha actualizacion")) >= 4, "🕒 AVISO: La tasa no se ha actualizado en varias horas. Revise el BCV.")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 104: Estado tasa

Column name	Estado tasa
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(HOUR(NOW() - LOOKUP(MAXROW("Tasa BCV", "_RowNumber"), "Tasa BCV", "_RowNumber", "fecha actualizacion")) >= 24, "ALERTA", "OK")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Column 105: Mensaje Alerta

Column name	Mensaje Alerta
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_I

	f_Invalid":null,"Show_If":"=[Estado Tasa] = \"ALERTA\"","Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(TOTALHOURS(NOW() - [Ultima_Actualizacion]) >= 24, "⚠ La tasa tiene más de 24 horas sin actualizar.", "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	en-US
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name PRECIOS_Schema

Schema Name	PRECIOS_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggeste

	d_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Producto

Column name	Producto
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 3: Precio Dolares

Column name	Precio Dolares
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 4: Precio Bolivares

Column name	Precio Bolivares

Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"Bs. ","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Precio Dolares] * ANY(Tasa[Tasa])
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Stock_Inicial

Column name	Stock_Inicial
Visible?	ALWAYS
Display name	=Inventario Inicial
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	=50
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 6: Stock

Column name	Stock
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Stock_Minimo

Column name	Stock_Minimo
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Ultima_Modificacion

Column name	Ultima_Modificacion

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Tabla_Precios_Rapida

Column name	Tabla_Precios_Rapida
Visible?	ALWAYS
Display name	=Tabla de precios rápida
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE("CANT | TOTAL $ | TOTAL BS", " ", "1 x | $", DECIMAL(ROUND([Precio Dolares] * 1 * 100)) / 100.0, " | Bs", DECIMAL(ROUND([Precio Dolares] * 1 * ANY(Tasa[Tasa]) *

100)) / 100.0, " ", "2 x | $", DECIMAL(ROUND([Precio Dolares] * 2 * 100)) / 100.0, " | Bs", DECIMAL(ROUND([Precio Dolares] * 2 * ANY(Tasa[Tasa]) * 100)) / 100.0, " ", "3 x | $", DECIMAL(ROUND([Precio Dolares] * 3 * 100)) / 100.0, " | Bs", DECIMAL(ROUND([Precio Dolares] * 3 * ANY(Tasa[Tasa]) * 100)) / 100.0, " ", "4 x | $", DECIMAL(ROUND([Precio Dolares] * 4 * 100)) / 100.0, " | Bs", DECIMAL(ROUND([Precio Dolares] * 4 * ANY(Tasa[Tasa]) * 100)) / 100.0, " ", "5 x | $", DECIMAL(ROUND([Precio Dolares] * 5 * 100)) / 100.0, " | Bs", DECIMAL(ROUND([Precio Dolares] * 5 * ANY(Tasa[Tasa]) * 100)) / 100.0, " ", "6 x | $", DECIMAL(ROUND([Precio Dolares] * 6 * 100)) / 100.0, " | Bs", DECIMAL(ROUND([Precio Dolares] * 6 * ANY(Tasa[Tasa]) * 100)) / 100.0, " ", "7 x | $", DECIMAL(ROUND([Precio Dolares] * 7 * 100)) / 100.0, " | Bs", DECIMAL(ROUND([Precio Dolares] * 7 * ANY(Tasa[Tasa]) * 100)) / 100.0, " ", "8 x | $", DECIMAL(ROUND([Precio Dolares] * 8 * 100)) / 100.0, " | Bs", DECIMAL(ROUND([Precio Dolares] * 8 * ANY(Tasa[Tasa]) * 100)) / 100.0, " ", "9 x | $", DECIMAL(ROUND([Precio Dolares] * 9 * 100)) / 100.0, " | Bs", DECIMAL(ROUND([Precio Dolares] * 9 * ANY(Tasa[Tasa]) * 100)) / 100.0, " ", "10 x | $", DECIMAL(ROUND([Precio Dolares] * 10 * 100)) / 100.0, " | Bs", DECIMAL(ROUND([Precio Dolares] * 10 * ANY(Tasa[Tasa]) * 100)) / 100.0)

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Related DETALLE_VENTASs

Column name	Related DETALLE_VENTASs
Visible?	ALWAYS
Description	DETALLE_VENTAS entries that reference this entry in the Producto column
Type	List
Type Qualifier	{"ElementType":"Ref","ElementTypeQualifier":"{\"ReferencedTableName\":\"DETALLE_VENTAS\",\"ReferencedRootTableName\":\"DETALLE_VENTAS\",\"ReferencedType\":\"Text\",\"ReferencedTypeQualifier\":\"{\\\"MaxLength\\\":null,\\\"MinLength\\\":null,\\\"LongTextFormatting\\\":\\\"Plain Text\\\",\\\"IsMulticolumnKey\\\":false,\\\"Valid_If\\\":null,\\\"Error_Message_If_Invalid\\\":null,\\\"Show_If\\\":null,\\\"Required_If\\\":null,\\\"Editable_If\\\":null,\\\"Reset_If\\\":null,\\\"Suggested_Values\\\":null}\",\"ReferencedKeyColumn\":\"ID_Detalle\",\"IsAPartOf\":false,\"RelationshipName\":null,\"InputMode\":\"Auto\",\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ItemSeparator":" , ","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	REF_ROWS("DETALLE_VENTAS", "Producto")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE

Searchable	Yes
Scannable	No
NFC Scannable	No
Sensitive data	No

Column 11: Precio_Bolivares_Dinamico

Column name	Precio_Bolivares_Dinamico
Visible?	ALWAYS
Display name	=Precio en Bs. Calculado a tasa actual
Type	Price
Type Qualifier	{"CurrencySymbol":"Bs.","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Precio Dolares] * ANY(Tasa[Tasa])
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Estado_Stock

Column name	Estado_Stock

Visible?	ALWAYS
Display name	=Situación de Inventario
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IFS(ISBLANK([Stock_Inicial]), "⚠ Falta cargar Inventario Inicial", [Stock] <= 0, "❌ PRODUCTO AGOTADO", [Stock] <= [Stock_Minimo], CONCATENATE("⚠ REABASTECER (Quedan ", [Stock], ")"), TRUE, "✅ Stock Suficiente")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name DETALLE_VENTAS_Schema

Schema Name	DETALLE_VENTAS_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber

Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Detalle

Column name	ID_Detalle
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No

Formula version	0
Reset on edit?	No
Initial value	UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 3: ID_Venta

Column name	ID_Venta
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"VENTAS","ReferencedRootTableName":"VENTAS","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null, \"LongTextFormatting\":\"Plain Text\", \"IsMulticolumnKey\":false,\"Valid_If\":null, \"Error_Message_If_Invalid\":null,\"Show_If\":null, \"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null, \"Suggested_Values\":null}","ReferencedKeyColumn":"ID_VENTA","IsAPartOf":true,"RelationshipName":null,"InputMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No

Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 4: Producto

Column name	Producto
Visible?	ALWAYS
Type	Ref
Type Qualifier	{"ReferencedTableName":"PRECIOS","ReferencedRootTableName":"PRECIOS","ReferencedType":"Text","ReferencedTypeQualifier":"{\"MaxLength\":null,\"MinLength\":null,\"LongTextFormatting\":\"Plain Text\",\"IsMulticolumnKey\":false,\"Valid_If\":null,\"Error_Message_If_Invalid\":null,\"Show_If\":null,\"Required_If\":null,\"Editable_If\":null,\"Reset_If\":null,\"Suggested_Values\":null}","ReferencedKeyColumn":"Producto","IsAPartOf":false,"RelationshipName":null,"InputMode":"Buttons","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":""}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 5: Cantidad

Column name	Cantidad
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":10,"MinValue":1,"StepValue":null,"NumericDigits":1,"ShowThousandsSeparator":true,"NumberDisplayMode":"Range","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Precio_Unitario

Column name	Precio_Unitario

Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Producto].[Precio Dolares]
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 7: Subtotal

Column name	Subtotal
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[Cantidad] * [Precio_Unitario]
Read-Only	No
Hidden	No

Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Resumen_Para_Bot

Column name	Resumen_Para_Bot
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=ANY(SELECT(VENTAS[Info_Visual_Deck], [ID_Venta] = [_THISROW].[ID_Venta]))
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: ResumenItem

Column name	ResumenItem
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE([Cantidad], "x",([Producto]))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Linea_Recibo

Column name	Linea_Recibo
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE([Producto], " x ", [Cantidad], " = Bs.", ([Subtotal]*[ID_Venta].[Tasa_Venta]), " / ", [Subtotal], "$")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Fecha_Venta

Column name	Fecha_Venta
Visible?	ALWAYS
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=[ID_Venta].[Fecha]
Read-Only	Yes

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Records ventas_Schema

Schema Name	Records ventas_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0

Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 2: Id

Column name	Id
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes

Scannable	No
Sensitive data	No

Column 3: Fecha

Column name	Fecha
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Tasa

Column name	Tasa
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"E

	ditable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Producto

Column name	Producto
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No

Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 6: Rif

Column name	Rif
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Tipo de pago

Column name	Tipo de pago

Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 8: Cliente

Column name	Cliente
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0

Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 9: Teléfono

Column name	Teléfono
Visible?	ALWAYS
Type	Phone
Type Qualifier	{"Callable":true,"Textable":true,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 10: Dirección

Column name	Dirección
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 11: Cedula

Column name	Cedula
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No

Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Column 12: Monto total en BS

Column name	Monto total en BS
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"Bs.","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 13: Monto total en Dolares

Column name	Monto total en Dolares
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Schema Name Tasa BCV_Schema

Schema Name	Tasa BCV_Schema

Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 2: BCV (Bs/$)

Column name	BCV (Bs/$)
Visible?	ALWAYS
Type	Decimal
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Inv

	alid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	No
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	No
Scannable	No
Sensitive data	No

Column 3: fecha actualizacion

Column name	fecha actualizacion
Visible?	ALWAYS
Type	DateTime
Type Qualifier	{"MinValue":null,"MaxValue":null,"UseLongDateFormat":false,"IgnoreSeconds":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
Initial value	TODAY()
System Defined?	No
Key	No
Part of Key?	No

Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-VE
Searchable	Yes
Scannable	No
Sensitive data	No

Schema Name Filtros_Fechas_Schema

Schema Name	Filtros_Fechas_Schema
Visible?	ALWAYS

Column 1: _RowNumber

Column name	_RowNumber
Visible?	ALWAYS
Description	Number of this row
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	Yes
Key	No
Part of Key?	No
Fixed definition?	Yes
Editable Initial Value?	Yes

Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 2: ID_Filtro

Column name	ID_Filtro
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
Initial value	=UNIQUEID()
System Defined?	No
Key	Yes
Part of Key?	Yes
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 3: Fecha_Inicio

Column name	Fecha_Inicio

Visible?	ALWAYS
Display name	=1. Desde el día:
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	Yes
Formula version	0
Reset on edit?	Yes
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 4: Fecha_Fin

Column name	Fecha_Fin
Visible?	ALWAYS
Display name	=2. Hasta el día:
Type	Date
Type Qualifier	{"UseLongDateFormat":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	Yes

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 5: Nombre_Periodo

Column name	Nombre_Periodo
Visible?	ALWAYS
Display name	="3. Nombre del reporte (ej. Enero 2026):"
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
Read-Only	No
Hidden	No
Label	No
Formula version	0
Reset on edit?	Yes
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	No
LocaleName	es-MX
Searchable	Yes

Scannable	No
Sensitive data	No

Column 6: Total_Ventas_Dolares_Rango

Column name	Total_Ventas_Dolares_Rango
Visible?	ALWAYS
Type	Price
Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(VENTAS[Total de venta en Dolares], AND([Fecha_Solo_Dia] >= [_THIS].[Fecha_Inicio], [Fecha_Solo_Dia] <= [_THIS].[Fecha_Fin], ISNOTBLANK([Fecha_Solo_Dia]))))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 7: Total_Ventas_Bolivares_Rango

Column name	Total_Ventas_Bolivares_Rango
Visible?	ALWAYS
Type	Price

Type Qualifier	{"CurrencySymbol":"$","MaxValue":null,"MinValue":null,"StepValue":null,"DecimalDigits":2,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(VENTAS[Total venta en Bolivares], AND([Fecha_Solo_Dia] >= [_THIS].[Fecha_Inicio], [Fecha_Solo_Dia] <= [_THIS].[Fecha_Fin], ISNOTBLANK([Fecha_Solo_Dia]))))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 8: Clientes_Atendidos_Rango

Column name	Clientes_Atendidos_Rango
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(SELECT(VENTAS[Cliente], AND([Fecha_Solo_Dia] >= [_THIS].[Fecha_Inicio], [Fecha_Solo_Dia] <= [_THIS].[Fecha_Fin], ISNOTBLANK([Cliente]))))

Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 9: Total_Productos_Vendidos_Rango

Column name	Total_Productos_Vendidos_Rango
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=SUM(SELECT(DETALLE_VENTAS[Cantidad], AND([Fecha_Venta] >= [_THIS].[Fecha_Inicio], [Fecha_Venta] <= [_THIS].[Fecha_Fin], ISNOTBLANK([Fecha_Venta]))))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 10: Dias_Con_Ventas_Rango

Column name	Dias_Con_Ventas_Rango
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(UNIQUE(SELECT(VENTAS[Fecha_Solo_Dia], AND([Fecha_Solo_Dia] >= [_THIS].[Fecha_Inicio], [Fecha_Solo_Dia] <= [_THIS].[Fecha_Fin], ISNOTBLANK([Fecha_Solo_Dia])))))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No

Sensitive data	No

Column 11: Meses_Con_Ventas_Rango

Column name	Meses_Con_Ventas_Rango
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(UNIQUE(SELECT(VENTAS[Mes_Para_Conteo], AND(DATE([Fecha]) >= [_THISROW].[Fecha_Inicio], DATE([Fecha]) <= [_THISROW].[Fecha_Fin]))))
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 12: Lista_Productos_Rango

Column name	Lista_Productos_Rango
Visible?	ALWAYS
Type	LongText

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=CONCATENATE(UNIQUE(SELECT(DETALLE_VENTAS[Producto], AND([Fecha_Venta] >= [_THIS].[Fecha_Inicio], [Fecha_Venta] <= [_THIS].[Fecha_Fin], ISNOTBLANK([Producto])))), ", ")
Read-Only	Yes
Hidden	Yes
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No
Sensitive data	No

Column 13: VC_Rango_Header

Column name	VC_Rango_Header
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([Nombre_Periodo]), CONCATENATE("📅 ", [Nombre_Periodo], " (", TEXT([Fecha_Inicio], "DD/MM/YY"), " -

	", TEXT([Fecha_Fin], "DD/MM/YY"), ")"), CONCATENATE("📅 Período Personalizado (", TEXT([Fecha_Inicio], "DD/MM/YY"), " - ", TEXT([Fecha_Fin], "DD/MM/YY"), ")"))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 14: VC_Duracion_Dias

Column name	VC_Duracion_Dias
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(AND(ISNOTBLANK([Fecha_Inicio]), ISNOTBLANK([Fecha_Fin])), NUMBER(([Fecha_Fin] - [Fecha_Inicio]) + 1), 0)
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No

System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 15: VC_Dias_Activos_Rango

Column name	VC_Dias_Activos_Rango
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Dias_Con_Ventas_Rango] > 0, CONCATENATE("Días activos: ", [Dias_Con_Ventas_Rango]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX

Searchable	Yes
Scannable	No
Sensitive data	No

Column 16: VC_Meses_Activos_Rango

Column name	VC_Meses_Activos_Rango
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Meses_Con_Ventas_Rango] > 0, CONCATENATE("Meses con ventas: ", [Meses_Con_Ventas_Rango]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 17: VC_Total_Dolares_Rango

Column name	VC_Total_Dolares_Rango
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Total_Ventas_Dolares_Rango] > 0, CONCATENATE("Total ventas en dólares: $", [Total_Ventas_Dolares_Rango]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 18: VC_Total_Bolivares_Rango

Column name	VC_Total_Bolivares_Rango
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Total_Ventas_Bolivares_Rango] > 0, CONCATENATE("Total ventas en bolívares: ", [Total_Ventas_Bolivares_Rango], " Bs"), "")

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 19: VC_Clientes_Rango

Column name	VC_Clientes_Rango
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Clientes_Atendidos_Rango] > 0, CONCATENATE("Transacciones totales: ", [Clientes_Atendidos_Rango]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 20: VC_Productos_Rango

Column name	VC_Productos_Rango
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Total_Productos_Vendidos_Rango] > 0, CONCATENATE("Total productos vendidos (unidades totales): ", [Total_Productos_Vendidos_Rango], " unidades"), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No

Sensitive data	No

Column 21: VC_Lista_Productos_Rango

Column name	VC_Lista_Productos_Rango
Visible?	ALWAYS
Type	LongText
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF(ISNOTBLANK([Lista_Productos_Rango]), CONCATENATE("Productos vendidos: ", [Lista_Productos_Rango]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 22: VC_Ticket_Promedio

Column name	VC_Ticket_Promedio
Visible?	ALWAYS
Type	Text

Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Clientes_Atendidos_Rango] > 0, CONCATENATE("Ticket promedio: $", ROUND(([Total_Ventas_Dolares_Rango] / [Clientes_Atendidos_Rango]) * 100) / 100), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 23: VC_Venta_Promedio_Diaria

Column name	VC_Venta_Promedio_Diaria
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Dias_Con_Ventas_Rango] > 0, CONCATENATE("Venta promedio diaria: $", ROUND(([Total_Ventas_Dolares_Rango] / [Dias_Con_Ventas_Rango]) * 100) / 100), "")

Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 24: VC_Duracion_Dias_Text

Column name	VC_Duracion_Dias_Text
Visible?	ALWAYS
Display name	=VC_Duracion_Dias_Text
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([VC_Duracion_Dias] > 0, CONCATENATE("Duración: ", [VC_Duracion_Dias], " días"), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No

Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Column 25: Clientes_Unicos_Rango

Column name	Clientes_Unicos_Rango
Visible?	ALWAYS
Type	Number
Type Qualifier	{"MaxValue":null,"MinValue":null,"StepValue":null,"NumericDigits":null,"ShowThousandsSeparator":true,"NumberDisplayMode":"Auto","Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=COUNT(UNIQUE(SELECT(VENTAS[Cliente], AND([Fecha] >= [_THISROW].[Fecha_Inicio], [Fecha] <= [_THISROW].[Fecha_Fin], ISNOTBLANK([Cliente])))))
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	No
Scannable	No

Sensitive data	No

Column 26: VC_Clientes_Unicos_Rango

Column name	VC_Clientes_Unicos_Rango
Visible?	ALWAYS
Type	Text
Type Qualifier	{"MaxLength":null,"MinLength":null,"LongTextFormatting":"Plain Text","IsMulticolumnKey":false,"Valid_If":null,"Error_Message_If_Invalid":null,"Show_If":null,"Required_If":null,"Editable_If":null,"Reset_If":null,"Suggested_Values":null}
App formula	=IF([Clientes_Unicos_Rango] > 0, CONCATENATE("Clientes únicos: ", [Clientes_Unicos_Rango]), "")
Read-Only	Yes
Hidden	No
Label	No
Formula version	0
Reset on edit?	No
System Defined?	No
Key	No
Part of Key?	No
Fixed definition?	No
Editable Initial Value?	Yes
Virtual?	Yes
LocaleName	es-MX
Searchable	Yes
Scannable	No
Sensitive data	No

Slices

Slice Name Ultimo_Filtro_Realizado

Slice Name	Ultimo_Filtro_Realizado

Slice Columns	_RowNumber ID_Filtro Fecha_Inicio Fecha_Fin Nombre_Periodo Total_Ventas_Dolares_Rango Total_Ventas_Bolivares_Rango Clientes_Atendidos_Rango Total_Productos_Vendidos_Rango Dias_Con_Ventas_Rango Meses_Con_Ventas_Rango Lista_Productos_Rango VC_Rango_Header VC_Duracion_Dias VC_Dias_Activos_Rango VC_Meses_Activos_Rango VC_Total_Dolares_Rango VC_Total_Bolivares_Rango VC_Clientes_Rango VC_Productos_Rango VC_Lista_Productos_Rango VC_Ticket_Promedio VC_Venta_Promedio_Diaria VC_Duracion_Dias_Text Clientes_Unicos_Rango VC_Clientes_Unicos_Rango
Update mode	ALL_CHANGES
Source Table	Filtros_Fechas
Visible?	ALWAYS
Slice Actions	**auto**

UX

Views

View name Ventas

View name	Ventas
Created by	App owner
View type	deck
ActionType	Square Image
Position	left most
View configuration	{"MainDeckImageColumn":"**none**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"cliente mas total en bolivares mas total en dolares","SecondaryDeckHeaderColumn":"Info_Visual_Deck","DeckSummaryColumn":"Estatus_envio","DeckNestedTableColumn":"**none**","ShowActionBar":false,"ActionColumns":[],"ActionBarEntries":[],"GroupBy":[{"Column":"Dia","Order":"Descending"}],"GroupAggregate":"SUM :: Total venta en Bolivares","SortBy":[{"Column":"Fecha","Order":"Descending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fal fa-tint","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	💧
Menu order	1

View name Resumen

View name	Resumen
Created by	App owner
View type	detail
ActionType	No Headings
Position	right
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":

	["Vc_Header_resumen","Boton_Filtro","Fecha","VC_Resumen_Dolares","Vc_ventaenbolivares","Vc_ClientesAtendidos","VC_Clientes_Unicos_Hoy","vc_totaldeproductosvendidos","vc_listadeProdcutos","VC_Semana_Header","VC_Dias_Activos_Label","VC_Total_Dolares_Semana","VC_Total_Bolivares_Semana","VC_Clientes_Semana","VC_Clientes_Unicos_Semana","VC_Productos_Semana","VC_Lista_Productos_Semana","VC_Mes_Header","VC_Dias_Activos_Mes","VC_Total_Dolares_Mes","VC_Total_Bolivares_Mes","VC_Clientes_Mes","VC_Clientes_Unicos_Mes","VC_Productos_Mes","VC_Lista_Productos_Mes","VC_Año_Header","VC_Meses_Activos_Año","VC_Dias_Activos_Año","VC_Total_Dolares_Año","VC_Total_Bolivares_Año","VC_Clientes_Año","VC_Clientes_Unicos_Ano","VC_Productos_Año","VC_Lista_Productos_Año"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"No Headings","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fal fa-poll-h","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	▤
Menu order	1

View name Inventario

View name	Inventario
Created by	App owner
View type	table
Position	right
View configuration	{"ColumnWidth":"Narrow","EnableQuickEdit":true,"ColumnOrder":["Producto","Precio Dolares","Precio_Bolivares_Dinamico","Estado_Stock","Stock_Inicial"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[{"Column":"_RowNumber","Order":"Ascending"}],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"**auto**"}],"Icon":"fal fa-box-check","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	☑
Menu order	1

View name Tasa

View name	Tasa
Created by	App owner
View type	detail
ActionType	No Headings
Position	right most
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["Mensaje Alerta","VC_Tasa_Visual","tasa formateada","SUGERENCIA BCV","Header_Reporte"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"No Headings","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fal fa-sort-alt","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	⇵
Menu order	1

View name DETALLE_VENTAS_Detail

View name	DETALLE_VENTAS_Detail
Created by	System
View type	detail
ActionType	Side-by-side
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["Precio_Unitario","Cantidad","Subtotal","ResumenItem"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Side-by-side","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	⇥

Menu order	1

View name DETALLE_VENTAS_Form

View name	DETALLE_VENTAS_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":["Cantidad","Producto"],"AutoSave":false,"AutoReopen":false,"FinishView":"VENTAS","RowKey":"","FormStyle":"Default","PageStyle":"Simple","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	✎
Menu order	1

View name DETALLE_VENTAS_Inline

View name	DETALLE_VENTAS_Inline
Created by	System
View type	deck
ActionType	Square Image
Position	ref
View configuration	{"MainDeckImageColumn":"**none**","ImageShape":"Square Image","PrimaryDeckHeaderColumn":"Linea_Recibo","SecondaryDeckHeaderColumn":"**none**","DeckSummaryColumn":"**none**","DeckNestedTableColumn":"**none**","ShowActionBar":false,"ActionColumns":[],"ActionBarEntries":["Edit","Delete"],"GroupBy":[],"GroupAggregate":"NONE","SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[{"EventType":"Row Selected","EventAction":"Edit"},{"EventType":"Row Swiped Left","EventAction":"**auto**"},{"EventType":"Row Swiped Right","EventAction":"**auto**"}],"Icon":"fa-table","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	⊞

Menu order	1

View name Filtros_Fechas_Detail

View name	Filtros_Fechas_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	⇥
Menu order	1

View name Filtros_Fechas_Form

View name	Filtros_Fechas_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	✎
Menu order	1

View name PRECIOS_Detail

View name	PRECIOS_Detail
Created by	System
View type	detail
ActionType	Side-by-side
Position	ref

View configuration

{"MainSlideshowImageColumn":"**none**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["Producto","Precio Dolares","Stock_Inicial"],"ImageStyle":"Fill","Layout":{"style":{"type":"style","backgroundColor":"transparent","boxSizing":"border-box","height":"100%","id":"18803ca8-6cbf-41d7-b090-4509e0201431","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":{"type":"style","color":{"type":"variable","value":"primaryText","id":"10ee5459-af8f-45ac-b486-193a9968c81e","inspection":{"isInspectable":true,"eventHandlers":{}}},"height":"100%","display":"flex","flexDirection":"column","justifyContent":"space-between","background":{"type":"variable","value":"mainContentBackground","id":"847233a2-0243-4f05-ac39-9d608383512f","inspection":{"isInspectable":true,"eventHandlers":{}}},"fontSize":14,"id":"0ed6623e-e7c8-4fc6-af1f-01adbfb245a0","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"imageName","child":{"id":"media","type":"image","style":{"type":"style","width":"100%","height":194,"borderRadius":"4px 4px 0 0","objectFit":"cover","id":"3a9f1a4f-a1c1-4e0b-b789-dcf4b8995969","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"mainImage","type":"variable","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","padding":16,"id":"c9bc8143-6713-41ba-8762-b588743d0235","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"Producto","child":{"id":"label","type":"text","style":{"type":"style","fontSize":21,"lineHeight":1.15,"id":"97559953-75d9-4b10-919d-c416d183b4c9","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"c6a3a013-0faf-4db7-8829-39efc6704784","type":"binding","

```
inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"Precio Dolares","child":{"id":"subheader","type":"text","style":{"type":"style","fontSize":14,"opacity":0.6,"paddingTop":4,"overflow":"hidden","id":"f3a98f74-a901-451b-9b64-8c00e5632325","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"bba2d2cb-c355-43aa-a0a3-46e89a578400","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"headerTextContainer","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"Tabla_Precios_Rapida","child":{"id":"description","type":"text","style":{"type":"style","fontSize":14,"padding":16,"paddingTop":8,"maxHeight":100,"overflow":"hidden","id":"f3a98f74-a901-451b-9b64-8c00e5632327","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"bba2d2cb-c355-43aa-a0a3-46e89a5783d0","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","display":"flex","alignItems":"center","justifyContent":"space-between","padding":8,"paddingTop":0,"paddingBottom":0,"id":"5fa06ef2-6010-4c1e-aa84-668f8ac967aa","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"Action 1","child":{"id":"Action 1","type":"text","onClick":{"type":"action","id":"8faa486e-80a1-4bf8-9911-ff05823f7018","inspection":{"isInspectable":true,"eventHandlers":{}}},"style":{"type":"variable","value":"actionButtonTextStyle","id":"4fcb9585-70b2-4bc0-a407-be6849bea1a7","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"c503ebe1-33d7-49e6-979d-a4f4a0345863","type":"constant","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"Edit","child":{"id":"Action 2","type":"text","onClick":{"type":"action","id":"fb9d48ba-a444-4617-8859-7065b058efac","inspection":{"isInspectable":true,"eventHandlers":{}},"value":"Edit"},"style":{"type":"variable","value":"actionButtonTextStyle","id":"77f5bd38-248e-4f75-bf97-18e3b5c54d50","inspection":
```

{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"63cee5fc-bcf9-4cce-bcfe-d330b69732b9","type":"actionDisplayText","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","display":"flex","alignItems":"center","marginLeft":"auto","id":"ff7fc872-bf93-4502-963e-ecfc16771fd8","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"fa-trash-alt","child":{"id":"Action 3","type":"icon","onClick":{"type":"action","id":"c49470ae-b53e-4109-9bb7-d85a93cd0fdf","inspection":{"isInspectable":true,"eventHandlers":{}},"value":"Delete"},"style":{"type":"variable","value":"actionButtonIconStyle","id":"cd0faa93-c489-4d7b-bcd9-c8dd3e551dd1","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"45097ee1-733e-4faa-b049-2e9be8ba402b","type":"constant","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"fas fa-share-alt","child":{"id":"Action 4","type":"icon","onClick":{"type":"action","id":"aaba7aa9-9bc5-4ca5-aef0-0e834f3b26e2","inspection":{"isInspectable":true,"eventHandlers":{}}},"style":{"type":"variable","value":"actionButtonIconStyle","id":"441cc05d-5e46-4753-bd34-6053ef27f305","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"5205cdc0-a69d-4f46-9a0a-4cc48950745a","type":"constant","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"65eb11c1-7b76-4565-9284-94d6783d8ec0","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"variables":[{"name":"actionButtonTextStyle","value":{"type":"style","maxHeight":60,"maxWidth":100,"display":"flex","alignItems":"center","overflow":"hidden","overflowWrap":"break-word","textTransform":"uppercase","fontSize":12,"cursor":"pointer","color":{"type":"variable","value":"actionIcon"},"border":5,"padding":8,"transition":"background 0.8s","hover":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"},"down":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"}}},{"name":"actionButtonIconStyle","value":{"type":"style","fontSize":16,"color":{"type":"variable","value":"secondaryText"},"border":"50%","cursor":"p

	ointer","padding":8,"transition":"background 0.8s","hover":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"},"down":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"}}}],"id":"2a07cf3b-cdec-4e45-90cb-f2b2e14dae8d","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"55f59616-6c4f-48c8-88cc-1edd8388e4c9","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"name":"detail","variables":[{"name":"imageName","value":"https://www.appsheet.com/Content/editor/img/empty-media-template.png"},{"name":"labelName","value":"Title goes here"}],"version":0,"id":"52405288-3f27-45d7-8c68-c7d489a76db4","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}},"UseCardLayout":false,"DisplayMode":"Side-by-side","MaxNestedRows":4,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	⇥
Menu order	1

View name PRECIOS_Form

View name	PRECIOS_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":["Producto","Precio Dolares","Precio_Bolivares_Dinamico","Stock_Inicial","Stock_Minimo"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS

Icon	📝
Menu order	1

View name Records de ventas

View name	Records de ventas
Created by	App owner
View type	chart
ActionType	Histogram
Position	ref
View configuration	{"ChartType":"Histogram","UseNewChartExperience":false,"ChartConfig":null,"ChartColumns":[],"GroupAggregate":"NONE","TrendLine":"None","ChartColors":[],"LabelType":"Percent","ShowLegend":true,"SortBy":[{"Column":"Fecha","Order":"Descending"}],"Events":[],"Icon":"fal fa-history","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	🕘
Menu order	1

View name Records ventas_Detail

View name	Records ventas_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	⇥
Menu order	1

View name Records ventas_Form

View name	Records ventas_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	✎
Menu order	1

View name Resumen por Período

View name	Resumen por Período
Created by	App owner
View type	detail
ActionType	No Headings
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["VC_Rango_Header","VC_Duracion_Dias_Text","VC_Dias_Activos_Rango","VC_Meses_Activos_Rango","VC_Total_Dolares_Rango","VC_Total_Bolivares_Rango","VC_Clientes_Rango","VC_Clientes_Unicos_Rango","VC_Productos_Rango","VC_Lista_Productos_Rango","VC_Ticket_Promedio","VC_Venta_Promedio_Diaria"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"No Headings","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	⇥
Menu order	1

View name Resumen por Período 2

View name	Resumen por Período 2
Created by	App owner
View type	detail
ActionType	No Headings
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["VC_Rango_Header","VC_Dias_Activos_Rango","VC_Total_Dolares_Rango","VC_Total_Bolivares_Rango","VC_Clientes_Rango","VC_Productos_Rango","VC_Lista_Productos_Rango"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"No Headings","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	⇥
Menu order	1

View name Seleccionar Período

View name	Seleccionar Período
Created by	App owner
View type	form
Position	ref
View configuration	{"ColumnOrder":["Fecha_Inicio","Fecha_Fin","Nombre_Periodo"],"AutoSave":false,"AutoReopen":false,"FinishView":"Resumen por Período","RowKey":"=\"1\"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	✎
Menu order	1

View name Tasa BCV_Detail

View name	Tasa BCV_Detail
Created by	System
View type	detail
ActionType	Automatic
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":[],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Automatic","MaxNestedRows":5,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	⇥
Menu order	1

View name Tasa BCV_Form

View name	Tasa BCV_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":null,"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Automatic","PageStyle":"Automatic","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	✎
Menu order	1

View name Tasa_Detail

View name	Tasa_Detail
Created by	System

View type	detail
ActionType	Centered
Position	ref
View configuration	{"MainSlideshowImageColumn":"**auto**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["Tasa","Total Ventas en Bolívares (Hoy)","Clientes Atendidos (Hoy)","Total de Productos Vendidos (Unidades totales)","Lista de Productos Vendidos (Hoy)"],"ImageStyle":"Fill","Layout":null,"UseCardLayout":false,"DisplayMode":"Centered","MaxNestedRows":5,"SlideshowMode":false,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	⇥
Menu order	1

View name Tasa_Form

View name	Tasa_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":["Tasa","Sugerencia BCV show"],"AutoSave":false,"AutoReopen":false,"FinishView":"**Automatic**","RowKey":"","FormStyle":"Side-by-side","PageStyle":"Simple","FormFooterStyle":"Top","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	✎
Menu order	1

View name VENTAS_Detail

View name	VENTAS_Detail
Created by	System
View type	detail

ActionType	Side-by-side
Position	ref
View configuration	{"MainSlideshowImageColumn":"**none**","DetailContentColumn":"**none**","HeaderColumns":[],"QuickEditColumns":[],"ColumnOrder":["Estatus_Envio","Cliente","Teléfono","Total venta en Bolivares","Fecha de la venta","Total de venta en Dolares","Tasa_Venta","Info_Visual_Deck2","Tipo de pago","Dirección","Cedula","RIF"],"ImageStyle":"Fill","Layout":{"style":{"type":"style","backgroundColor":"transparent","boxSizing":"border-box","height":"100%","id":"18803ca8-6cbf-41d7-b090-4509e0201431","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"style":{"type":"style","color":{"type":"variable","value":"primaryText","id":"10ee5459-af8f-45ac-b486-193a9968c81e","inspection":{"isInspectable":true,"eventHandlers":{}}},"height":"100%","display":"flex","flexDirection":"column","justifyContent":"space-between","background":{"type":"variable","value":"mainContentBackground","id":"847233a2-0243-4f05-ac39-9d608383512f","inspection":{"isInspectable":true,"eventHandlers":{}}},"fontSize":14,"id":"0ed6623e-e7c8-4fc6-af1f-01adbfb245a0","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"imageName","child":{"id":"media","type":"image","style":{"type":"style","width":"100%","height":194,"borderRadius":"4px 4px 0 0","objectFit":"cover","id":"3a9f1a4f-a1c1-4e0b-b789-dcf4b8995969","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"mainImage","type":"variable","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","padding":16,"id":"63bc73ee-254b-4889-b917-0a0249f24599","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"Cliente","child":{"id":"label","type":"text","style":{"type":"style","fontSize":21,"lineHeight":1.15,"id":"97559953-75d9-4b10-919d-c416d183b4c9","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"c6a3a013-0faf-4db7-8829-39efc6704784","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"Producto","child":{"id":"subheader","type":"text","style":

{"type":"style","fontSize":14,"opacity":0.6,"paddingTop":4,"overflow":"hidden","id":"f3a98f74-a901-451b-9b64-8c00e5632325","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"bba2d2cb-c355-43aa-a0a3-46e89a578400","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"headerTextContainer","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"Tipo de pago","child":{"id":"description","type":"text","style":{"type":"style","fontSize":14,"padding":16,"paddingTop":8,"maxHeight":100,"overflow":"hidden","id":"f3a98f74-a901-451b-9b64-8c00e5632327","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"bba2d2cb-c355-43aa-a0a3-46e89a5783d0","type":"binding","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","display":"flex","alignItems":"center","justifyContent":"space-between","padding":8,"paddingTop":0,"paddingBottom":0,"id":"5fa06ef2-6010-4c1e-aa84-668f8ac967aa","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"child":{"id":"Action 1","type":"text","onClick":{"type":"action","id":"8faa486e-80a1-4bf8-9911-ff05823f7018","inspection":{"isInspectable":true,"eventHandlers":{}}},"style":{"type":"variable","value":"actionButtonTextStyle","id":"4fcb9585-70b2-4bc0-a407-be6849bea1a7","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}},"ignore":true},"id":"c503ebe1-33d7-49e6-979d-a4f4a0345863","type":"actionDisplayText","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"Forzar_Mayusculas","child":{"id":"Action 2","type":"text","onClick":{"type":"action","id":"fb9d48ba-a444-4617-8859-7065b058efac","inspection":{"isInspectable":true,"eventHandlers":{}},"value":"Forzar_Mayusculas"},"style":{"type":"variable","value":"actionButtonTextStyle","id":"77f5bd38-248e-4f75-bf97-18e3b5c54d50","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"63cee5fc-bcf9-4ccebcfe-d330b69732b9","type":"actionDisplayText","inspection":{"isInspectable":true,"eventHandlers":{}}},{"style":{"type":"style","display":"flex","alignItems":"center","marginLeft":"auto","id":"ff7fc872-bf93-4502-963e-ecfc16771fd8","inspection":{"isInspectable":true,"eventHandlers":{}}},"children":[{"value":"fa-phone","child":{"id":"Action 3","type":"icon","onClick":{"type":"action","id":"c49470ae-b53e-4109-9bb7-d85a93cd0fdf","inspection":{"isInspectable":true,"eventHandlers":{}},"value":"Call Phone (Teléfono)"},"style":{"type":"variable","value":"actionButtonIconStyle","id":"cd0faa93-c489-4d7b-bcd9-c8dd3e551dd1","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"45097ee1-733e-4faa-b049-2e9be8ba402b","type":"constant","inspection":{"isInspectable":true,"eventHandlers":{}}},{"value":"fa-trash-alt","child":{"id":"Action 4","type":"icon","onClick":{"type":"action","id":"aaba7aa9-9bc5-4ca5-aef0-0e834f3b26e2","inspection":{"isInspectable":true,"eventHandlers":{}},"value":"Delete"},"style":{"type":"variable","value":"actionButtonIconStyle","id":"441cc05d-5e46-4753-bd34-6053ef27f305","inspection":{"isInspectable":true,"eventHandlers":{}}},"inspection":{"isInspectable":true,"eventHandlers":{}}},"id":"5205cdc0-a69d-4f46-9a0a-4cc48950745a","type":"constant","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"65eb11c1-7b76-4565-9284-94d6783d8ec0","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"variables":[{"name":"actionButtonTextStyle","value":{"type":"style","maxHeight":60,"maxWidth":100,"display":"flex","alignItems":"center","overflow":"hidden","overflowWrap":"break-word","textTransform":"uppercase","fontSize":12,"cursor":"pointer","color":{"type":"variable","value":"actionIcon"},"border":5,"padding":8,"transition":"background 0.8s","hover":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"},"down":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"}}},{"name":"actionButtonIconStyle","value":{"type":"style","fontSize":16,"color":{"type":"variable","value":"secondaryText"},"border":"50%","cursor":"pointer","padding":8,"transition":"background 0.8s","hover":{"type":"style","background":

	{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"},"down":{"type":"style","background":{"type":"variable","value":"mainBackgroundVariant"},"transition":"background 0.8s"}}}],"id":"2a07cf3b-cdec-4e45-90cb-f2b2e14dae8d","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"id":"55f59616-6c4f-48c8-88cc-1edd8388e4c9","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}}],"name":"detail","variables":[{"name":"imageName","value":"https://www.appsheet.com/Content/editor/img/empty-media-template.png"},{"name":"labelName","value":"Title goes here"}],"version":0,"id":"52405288-3f27-45d7-8c68-c7d489a76db4","type":"container","inspection":{"isInspectable":true,"eventHandlers":{}}},"UseCardLayout":false,"DisplayMode":"Side-by-side","MaxNestedRows":4,"SlideshowMode":true,"DesktopSplitMode":"Split view","UseDesktopMultiColumn":true,"SortBy":[],"PrimarySortColumn":null,"IsPrimarySortDescending":false,"Events":[],"Icon":"fa-indent","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS
Icon	⇥
Menu order	1

View name VENTAS_Form

View name	VENTAS_Form
Created by	System
View type	form
Position	ref
View configuration	{"ColumnOrder":["Seccion_Productos","Related DETALLE_VENTASs","Total venta en Bolivares","Total de venta en Dolares","Tipo de pago","Seccion_Cliente","Cliente","Teléfono","Dirección","Cedula","RIF"],"AutoSave":false,"AutoReopen":false,"FinishView":"Ventas","RowKey":"","FormStyle":"Side-by-side","PageStyle":"Tabs","FormFooterStyle":"Bottom","MaxNestedRows":5,"AudioInput":false,"Events":[{"EventType":"Form Saved","EventAction":"**auto**"}],"Icon":"fa-edit","IconRunnerUps":null,"MenuOrder":1}
Visible?	ALWAYS

Icon	📝
Menu order	1

Format Rules

Rule name Resaltar_Monto_USD

Rule name	Resaltar_Monto_USD
Format these columns and actions	Cant.
For this data	VENTAS
If this condition is true	=TRUE
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"green","highlightColor":"","textSize":1.9,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":true,"icon":"","imageSize":null}
Visible?	ALWAYS

Rule name CLIENTE 2

Rule name	CLIENTE 2
Format these columns and actions	Cliente
For this data	VENTAS
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"","highlightColor":"","textSize":1.2,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":true,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule

Rule name	New Format Rule
Format these columns and actions	Producto
For this data	PRECIOS
Rule order	1

Is this format rule disabled?	No
Like this	{"textColor":null,"highlightColor":null,"textSize":1.4,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 2

Rule name	New Format Rule 2
Format these columns and actions	Precio Dolares
For this data	PRECIOS
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":null,"highlightColor":null,"textSize":1.7,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name TAMANO DE PRODUCTOS EN device

Rule name	TAMANO DE PRODUCTOS EN device
Format these columns and actions	Info_Visual_Deck
For this data	VENTAS
If this condition is true	=CONTEXT("Host") = "device"
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"","highlightColor":"","textSize":1.3,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name Color Total venta en Bolivares bold

Rule name	Color Total venta en Bolivares bold
Format these columns and actions	Total venta en Bolivares
For this data	VENTAS

If this condition is true	=true
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"","highlightColor":"","textSize":1.3,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":""}
Visible?	ALWAYS

Rule name New Format Rule 3

Rule name	New Format Rule 3
Format these columns and actions	cliente mas total en bolivares mas total en dolares
For this data	VENTAS
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"green","highlightColor":"","textSize":1.2,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 4

Rule name	New Format Rule 4
Format these columns and actions	Tasa_Venta
For this data	VENTAS
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 5

Rule name	New Format Rule 5
Format these columns and actions	Cliente

For this data	VENTAS
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":null,"highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name color fecha

Rule name	color fecha
Format these columns and actions	Fecha de la venta
For this data	VENTAS
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"#FF8C00","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 7

Rule name	New Format Rule 7
Format these columns and actions	Total venta en Bolivares
For this data	VENTAS
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":null,"highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name color boton editar

Rule name	color boton editar
Format these columns and actions	__action__Edit

For this data	VENTAS
If this condition is true	=true
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":"minorText","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name producto upper

Rule name	producto upper
Format these columns and actions	Producto
For this data	PRECIOS
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":true,"icon":"","imageSize":null}
Visible?	ALWAYS

Rule name Precio en Dolares

Rule name	Precio en Dolares
Format these columns and actions	Precio Bolivares
For this data	PRECIOS
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":null,"highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name mayusculas nombre

Rule name	mayusculas nombre

Format these columns and actions	Cliente
For this data	Records ventas
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":null,"highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":true,"icon":"","imageSize":null}
Visible?	ALWAYS

Rule name Highlight ResumenItem in DETALLE_VENTAS with themeMainColor

Rule name	Highlight ResumenItem in DETALLE_VENTAS with themeMainColor
Format these columns and actions	Related DETALLE_VENTASs
For this data	VENTAS
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"","imageSize":""}
Visible?	ALWAYS

Rule name Fecha

Rule name	Fecha
Format these columns and actions	Fecha
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"","highlightColor":"#FF8C00","textSize":1.3,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-poll-h","imageSize":null}
Visible?	ALWAYS

Rule name vcdolares

Rule name	vcdolares
Format these columns and actions	VC_Resumen_Dolares
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.2,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-check","imageSize":null}
Visible?	ALWAYS

Rule name vcbolivares

Rule name	vcbolivares
Format these columns and actions	Vc_ventaenbolivares
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":"","textSize":1.2,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-check","imageSize":null}
Visible?	ALWAYS

Rule name Clientes atendidos

Rule name	Clientes atendidos
Format these columns and actions	Vc_ClientesAtendidos
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-user-friends","imageSize":null}
Visible?	ALWAYS

Rule name productos vendidos

Rule name	productos vendidos
Format these columns and actions	vc_totaldeproductosvendidos
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-box-check","imageSize":null}
Visible?	ALWAYS

Rule name Tasa

Rule name	Tasa
Format these columns and actions	Tasa VC_Tasa_Visual
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"","highlightColor":"","textSize":1.4,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"","imageSize":null}
Visible?	ALWAYS

Rule name lista vendidos

Rule name	lista vendidos
Format these columns and actions	vc_listadeProdcutos
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-clipboard-list-check","imageSize":null}

Visible?	ALWAYS

Rule name New Format Rule 8

Rule name	New Format Rule 8
Format these columns and actions	Cliente
For this data	VENTAS
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":null,"highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 9

Rule name	New Format Rule 9
Format these columns and actions	tasa formateada
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"blue","highlightColor":"","textSize":1.5,"underline":true,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fas fa-arrow-alt-right","imageSize":null}
Visible?	ALWAYS

Rule name color dia 2

Rule name	color dia 2
Format these columns and actions	Dia
For this data	VENTAS
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"","highlightColor":"#FF8C00","textSize":1.3,"underline":false,"strikethrough":false,"bold":false,"italic":false,

	"uppercase":false,"icon":"fal fa-address-card","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 10

Rule name	New Format Rule 10
Format these columns and actions	Producto
For this data	VENTAS
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":null,"highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name header semana

Rule name	header semana
Format these columns and actions	VC_Semana_Header
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":null,"highlightColor":"#FF8C00","textSize":1.3,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-poll-h","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 12

Rule name	New Format Rule 12
Format these columns and actions	VC_Total_Dolares_Semana
For this data	Tasa
Rule order	1
Is this format rule disabled?	No

Like this	{"textColor":"minorText","highlightColor":"","textSize":1.2,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-check","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 13

Rule name	New Format Rule 13
Format these columns and actions	VC_Total_Bolivares_Semana
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.2,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-check","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 14

Rule name	New Format Rule 14
Format these columns and actions	VC_Clientes_Semana
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-user-friends","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 15

Rule name	New Format Rule 15
Format these columns and actions	VC_Dias_Activos_Label
For this data	Tasa
Rule order	1

Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-calendar-week","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 16

Rule name	New Format Rule 16
Format these columns and actions	VC_Productos_Semana
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-box-check","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 17

Rule name	New Format Rule 17
Format these columns and actions	VC_Lista_Productos_Semana
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-clipboard-list-check","imageSize":null}
Visible?	ALWAYS

Rule name header mes

Rule name	header mes

Format these columns and actions	VC_Mes_Header
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":null,"highlightColor":"#FF8C00","textSize":1.3,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-poll-h","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 18

Rule name	New Format Rule 18
Format these columns and actions	VC_Total_Dolares_Mes
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":"","textSize":1.2,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-check","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 19

Rule name	New Format Rule 19
Format these columns and actions	VC_Total_Bolivares_Mes
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":"","textSize":1.2,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-check","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 20

Rule name	New Format Rule 20

Format these columns and actions	VC_Clientes_Mes
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-user-friends","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 21

Rule name	New Format Rule 21
Format these columns and actions	VC_Productos_Mes
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-box-check","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 22

Rule name	New Format Rule 22
Format these columns and actions	VC_Dias_Activos_Mes
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-calendar-week","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 23

Rule name	New Format Rule 23
Format these columns and actions	VC_Lista_Productos_Mes
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-clipboard-list-check","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 24

Rule name	New Format Rule 24
Format these columns and actions	Ultima_Actualizacion
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 25

Rule name	New Format Rule 25
Format these columns and actions	SUGERENCIA BCV
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-lightbulb-exclamation","imageSize":null}

Visible?	ALWAYS

Rule name header semana 2

Rule name	header semana 2
Format these columns and actions	VC_Año_Header
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":null,"highlightColor":"#FF8C00","textSize":1.3,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-poll-h","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 26

Rule name	New Format Rule 26
Format these columns and actions	VC_Meses_Activos_Año
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-calendar-week","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 27

Rule name	New Format Rule 27
Format these columns and actions	VC_Dias_Activos_Año
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":fa

	lse,"uppercase":false,"icon":"fal fa-calendar-week","imageSize":null}
Visible?	ALWAYS

Rule name vcbolivares 2

Rule name	vcbolivares 2
Format these columns and actions	VC_Total_Bolivares_Año
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":"","textSize":1.2,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-check","imageSize":null}
Visible?	ALWAYS

Rule name vcdolares 2

Rule name	vcdolares 2
Format these columns and actions	VC_Total_Dolares_Año
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.2,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-check","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 28

Rule name	New Format Rule 28
Format these columns and actions	VC_Clientes_Año
For this data	Tasa
Rule order	1
Is this format rule disabled?	No

Like this	{"textColor":"minorText","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-user-friends","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 29

Rule name	New Format Rule 29
Format these columns and actions	VC_Productos_Año
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-box-check","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 30

Rule name	New Format Rule 30
Format these columns and actions	VC_Lista_Productos_Año
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-clipboard-list-check","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 31

Rule name	New Format Rule 31
Format these columns and actions	VC_Rango_Header

For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":null,"highlightColor":"orange","textSize":1.0,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-poll-h","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 32

Rule name	New Format Rule 32
Format these columns and actions	VC_Dias_Activos_Rango
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-calendar-week","imageSize":null}
Visible?	ALWAYS

Rule name vcbolivares 3

Rule name	vcbolivares 3
Format these columns and actions	VC_Total_Dolares_Rango
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":"","textSize":1.2,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-check","imageSize":null}
Visible?	ALWAYS

Rule name vcbolivares 4

Rule name	vcbolivares 4

Format these columns and actions	VC_Total_Bolivares_Rango
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":"","textSize":1.2,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-check","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 33

Rule name	New Format Rule 33
Format these columns and actions	VC_Clientes_Rango
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":"","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-user-friends","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 34

Rule name	New Format Rule 34
Format these columns and actions	VC_Productos_Rango
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-box-check","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 35

Rule name	New Format Rule 35
Format these columns and actions	VC_Lista_Productos_Rango
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-clipboard-list-check","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 36

Rule name	New Format Rule 36
Format these columns and actions	VC_Clientes_Unicos_Semana VC_Clientes_Unicos_Mes VC_Clientes_Unicos_Ano VC_Clientes_Unicos_Hoy VC_Clientes_Unicos_Rango
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"minorText","highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-user-friends","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 37

Rule name	New Format Rule 37
Format these columns and actions	Vc_Header_resumen
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":null,"highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"upp

	ercase":false,"icon":"far fa-info-square","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 38

Rule name	New Format Rule 38
Format these columns and actions	Boton_Filtro
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":null,"highlightColor":"green","textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-file-search","imageSize":null}
Visible?	ALWAYS

Rule name New Format Rule 39

Rule name	New Format Rule 39
Format these columns and actions	Producto
For this data	PRECIOS
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":null,"highlightColor":null,"textSize":1.0,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":"fal fa-box-check","imageSize":null}
Visible?	ALWAYS

Rule name tasa desactualizada

Rule name	tasa desactualizada
Format these columns and actions	Alerta Tasa
For this data	Tasa
If this condition is true	=[Estado Tasa] = "ALERTA"
Rule order	1
Is this format rule disabled?	No

Like this	{"textColor":"red","highlightColor":"","textSize":1.2,"underline":false,"strikethrough":false,"bold":true,"italic":false,"uppercase":false,"icon":"fas fa-engine-warning","imageSize":null}
Visible?	ALWAYS

Rule name mensaje alerta

Rule name	mensaje alerta
Format these columns and actions	Mensaje Alerta
For this data	Tasa
Rule order	1
Is this format rule disabled?	No
Like this	{"textColor":"red","highlightColor":null,"textSize":1.3,"underline":false,"strikethrough":false,"bold":false,"italic":false,"uppercase":false,"icon":null,"imageSize":null}
Visible?	ALWAYS

Behavior

Actions

Action name Delete

Action name	Delete
Bulk action?	Yes
Confirmation Message	¿Esta seguro que desea borrar?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Inline
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Inline","NeedsConfirmation":true,"ConfirmationMessage":"¿Esta seguro que desea borrar?","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Attach to column	Fecha de la venta
Disable automatic updates?	No
Display name	Borrar
Action icon	🗑
For a record of this table	VENTAS
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplica

	ble":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Display name	Editar
Action icon	✎
For a record of this table	VENTAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Display name	Venta
Action icon	☻
For a record of this table	VENTAS
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Duplicar cliente

Action name	Duplicar cliente
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No

Prominence	Do_Not_Display
Action order	1
With these properties	{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	COPY_EDIT_ROW
Only if this condition is true	true
Disable automatic updates?	No
Action icon	⧉
For a record of this table	VENTAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	🗑
For a record of this table	Tasa
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit

Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Attach to column	Tasa
Disable automatic updates?	No
Display name	EDITAR TASA
Action icon	🪙
For a record of this table	Tasa
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	✏
For a record of this table	Tasa

Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	🗑
For a record of this table	PRECIOS
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD

Disable automatic updates?	No
Action icon	✎
For a record of this table	PRECIOS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Display name	Agregar Producto
Action icon	✚
For a record of this table	PRECIOS
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1

With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Attach to column	Linea_Recibo
Disable automatic updates?	No
Action icon	🗑
For a record of this table	DETALLE_VENTAS
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	📝
For a record of this table	DETALLE_VENTAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes

Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	+
For a record of this table	DETALLE_VENTAS
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name View Ref (ID_Venta)

Action name	View Ref (ID_Venta)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=VENTAS&row=\", ENCODEURL([ID_Venta]))","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	ID_Venta
Set this column	ID_Venta
Only if this condition is true	NOT(ISBLANK([ID_Venta]))
Disable automatic updates?	No
Action icon	❯
For a record of this table	DETALLE_VENTAS

Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Call Phone (Teléfono)

Action name	Call Phone (Teléfono)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Number":"[Teléfono]","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	CALL
Attach to column	Teléfono
Set this column	Teléfono
Only if this condition is true	NOT(ISBLANK([Teléfono]))
Disable automatic updates?	No
Display name	Phone call
Action icon	☎
For a record of this table	VENTAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (Teléfono)

Action name	Send SMS (Teléfono)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1

With these properties	{"Number":"[Teléfono]","Message":"","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	SMS
Attach to column	Teléfono
Set this column	Teléfono
Only if this condition is true	NOT(ISBLANK([Teléfono]))
Disable automatic updates?	No
Display name	Text message
Action icon	💬
For a record of this table	VENTAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Inline
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Inline","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Display name	Borrar record
Action icon	🗑
For a record of this table	Records ventas
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Display name	Editar record
Action icon	✎
For a record of this table	Records ventas
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	✚

For a record of this table	Records ventas
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Call Phone (Teléfono)

Action name	Call Phone (Teléfono)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Number":"[Teléfono]","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	CALL
Attach to column	Teléfono
Set this column	Teléfono
Only if this condition is true	NOT(ISBLANK([Teléfono]))
Disable automatic updates?	No
Display name	Phone call
Action icon	☎
For a record of this table	Records ventas
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Send SMS (Teléfono)

Action name	Send SMS (Teléfono)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1

With these properties	{"Number":"[Teléfono]","Message":"","Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	SMS
Attach to column	Teléfono
Set this column	Teléfono
Only if this condition is true	NOT(ISBLANK([Teléfono]))
Disable automatic updates?	No
Display name	Text message
Action icon	💬
For a record of this table	Records ventas
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name New step Action - 1

Action name	New step Action - 1
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"ReferencedTable":"Records ventas","Assignments":[{"ColumnToEdit":"Id","NewColumnValue":"=[ID_VENTA]"},{"ColumnToEdit":"Cantidad","NewColumnValue":"=[Cant.]"},{"ColumnToEdit":"Cedula","NewColumnValue":"=[Cedula]"},{"ColumnToEdit":"Cliente","NewColumnValue":"=[Cliente]"},{"ColumnToEdit":"Dirección","NewColumnValue":"=[Dirección]"},{"ColumnToEdit":"Fecha","NewColumnValue":"=[Fecha]"},{"ColumnToEdit":"Monto total en BS","NewColumnValue":"=[Total venta en Bolivares]"},{"ColumnToEdit":"Monto total en Dolares","NewColumnValue":"=[Total de venta en Dolares]"},{"ColumnToEdit":"Producto","NewColumnValue":"=[Producto]"},{"ColumnToEdit":"Tasa","NewColumnValue":"=[Tasa_Venta]"},{"ColumnToEdit":"Teléfono","NewColumnValue":"=[Teléfono]"},

	{"ColumnToEdit":"Tipo de pago","NewColumnValue":"=[Tipo de pago]"}],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD_TO
Only if this condition is true	true
Disable automatic updates?	No
Action icon	➢
For a record of this table	VENTAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name View Ref (Producto)

Action name	View Ref (Producto)
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"CONCATENATE(\"#page=detail&table=PRECIOS&row=\", ENCODEURL([Producto]))","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Attach to column	Producto
Set this column	Producto
Only if this condition is true	NOT(ISBLANK([Producto]))
Disable automatic updates?	No
Action icon	❯
For a record of this table	DETALLE_VENTAS
Does this action apply to the whole table?	No

Visible?	ALWAYS

Action name Action for copia de datos

Action name	Action for copia de datos
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"ReferencedTable":"Records ventas","Assignments":[{"ColumnToEdit":"Id","NewColumnValue":"=[ID_Detalle]"},{"ColumnToEdit":"Producto","NewColumnValue":"=CONCATENATE(\"• \", [Cantidad], \" x \", [Producto].[Producto])"},{"ColumnToEdit":"Monto total en BS","NewColumnValue":"=[ID_Venta].[Total venta en Bolivares]"},{"ColumnToEdit":"Monto total en Dolares","NewColumnValue":"=[ID_Venta].[Total de venta en Dolares]"},{"ColumnToEdit":"Fecha","NewColumnValue":"=[ID_Venta].[Fecha]"},{"ColumnToEdit":"Cliente","NewColumnValue":"=[ID_Venta].[Cliente]"},{"ColumnToEdit":"Tasa","NewColumnValue":"=[ID_Venta].[Tasa_Venta]"},{"ColumnToEdit":"Tipo de pago","NewColumnValue":"=[ID_Venta].[Tipo de pago]"},{"ColumnToEdit":"Cedula","NewColumnValue":"=[ID_Venta].[Cedula]"},{"ColumnToEdit":"Dirección","NewColumnValue":"=[ID_Venta].[Dirección]"},{"ColumnToEdit":"Teléfono","NewColumnValue":"=[ID_Venta].[Teléfono]"},{"ColumnToEdit":"Rif","NewColumnValue":"=[ID_Venta].[RIF]"}],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD_TO
Only if this condition is true	true
Disable automatic updates?	No

Action icon	✈
For a record of this table	DETALLE_VENTAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name New step Action - 2

Action name	New step Action - 2
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"ReferencedTable":"Records ventas","ReferencedRows":"=SELECT(Records ventas[Id], [Id] = [_THISROW].[ID_Venta])","ReferencedAction":"Delete","InputAssignments":[],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	✈
For a record of this table	DETALLE_VENTAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name New step Action - 3

Action name	New step Action - 3
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently

Action order	1
With these properties	{"ReferencedTable":"Records ventas","ReferencedRows":"=SELECT(Records ventas[Id], [Id] = [_THISROW].[ID_])","ReferencedAction":"Delete","InputAssignments":[],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	✈
For a record of this table	VENTAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name New step Action - 4

Action name	New step Action - 4
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"ReferencedTable":"Records ventas","ReferencedRows":"=FILTER(\"Records ventas\", [Id] = [_THISROW].[ID_Venta])","ReferencedAction":"Actualizar Record","InputAssignments":[],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No

Action icon	✈
For a record of this table	DETALLE_VENTAS
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Borrar records

Action name	Borrar records
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Attach to column	Rif
Only if this condition is true	true
Disable automatic updates?	No
Action icon	🗑
For a record of this table	Records ventas
Does this action apply to the whole table?	No
To this value	=[Producto]
Visible?	ADVANCED

Action name New step Action - 5

Action name	New step Action - 5
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1

With these properties	{"ReferencedTable":"Records ventas","ReferencedRows":"=FILTER(\"Records ventas\", [Id] = [_THISROW].[ID_Venta])","ReferencedAction":"Actualizar Record","InputAssignments": [],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	✈
For a record of this table	VENTAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name New step Action - 6

Action name	New step Action - 6
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"ReferencedTable":"Records ventas","ReferencedRows":"=FILTER(\"Records ventas\", [Id] = [_THISROW].[ID_Detalle])","ReferencedAction":"Borrar records","InputAssignments": [],"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Action icon	✈

For a record of this table	DETALLE_VENTAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Hija

Action name	Hija
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"ReferencedTable":"Records ventas","Assignments":[{"ColumnToEdit":"Id","NewColumnValue":"=[ID_VENTA]"},{"ColumnToEdit":"Fecha","NewColumnValue":"=[ID_Venta].[Fecha]"},{"ColumnToEdit":"Producto","NewColumnValue":"=[ID_Venta].[Info_Visual_Deck]"},{"ColumnToEdit":"Monto total en BS","NewColumnValue":"=[ID_Venta].[Total venta en Bolivares]"},{"ColumnToEdit":"Monto total en Dolares","NewColumnValue":"=[ID_Venta].[Total de venta en Dolares]"},{"ColumnToEdit":"Cliente","NewColumnValue":"=[ID_Venta].[Cliente]"},{"ColumnToEdit":"Tasa","NewColumnValue":"=[ID_Venta].[Tasa_Venta]"},{"ColumnToEdit":"Tipo de pago","NewColumnValue":"=[ID_Venta].[Tipo de pago]"},{"ColumnToEdit":"Cedula","NewColumnValue":"=[ID_Venta].[Cedula]"},{"ColumnToEdit":"Dirección","NewColumnValue":"=[ID_Venta].[Dirección]"},{"ColumnToEdit":"Teléfono","NewColumnValue":"=[ID_Venta].[Teléfono]"},{"ColumnToEdit":"Rif","NewColumnValue":"=[ID_Venta].[RIF]"}],"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD_TO

Only if this condition is true	true
Disable automatic updates?	No
Action icon	✈
For a record of this table	DETALLE_VENTAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Padre

Action name	Padre
Bulk action?	Yes
Modifies data?	No
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"ReferencedTable":"DETALLE_VENTAS","ReferencedRows":"=[Related DETALLE_VENTASs]","ReferencedAction":"Hija","InputAssignments": [],"InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":true}
Do this	REF_ACTION
Only if this condition is true	true
Disable automatic updates?	No
Display name	Enviar a records de venta
Action icon	💾
For a record of this table	VENTAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name 🚀 Enviar a Records

Action name	🚀 Enviar a Records
Bulk action?	Yes
Confirmation Message	¿Estás seguro de sincronizar esta venta a récords?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Inline
Action order	1
With these properties	{"Actions":[{"ActionName":"Padre"},{"ActionName":"Marcar como Enviado"}],"Prominence":"Display_Inline","NeedsConfirmation":true,"ConfirmationMessage":"¿Estás seguro de sincronizar esta venta a récords?","ModifiesData":true,"BulkApplicable":true}
Do this	COMPOSITE
Attach to column	Estatus_Envio
Only if this condition is true	=OR(ISBLANK([Ultimo_Envio]), [Ultimo_Update] > [Ultimo_Envio])
Disable automatic updates?	No
Display name	Si, sincronizar
Action icon	📂
For a record of this table	VENTAS
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Paso de Ultimo_Envio

Action name	Paso de Ultimo_Envio
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"Ultimo_Envio","NewColumnValue":"=NOW()"}],"ColumnToEdit":"Ultimo_Envio","NewColumnValue":"=NOW()","InputParametersUsed":null,"Prominence":"Do_Not_Display","

	NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Ultimo_Envio
Set this column	Ultimo_Envio
Only if this condition is true	true
Disable automatic updates?	No
Action icon	✈
For a record of this table	VENTAS
Does this action apply to the whole table?	No
To this value	=NOW()
Visible?	ALWAYS

Action name Marcar como Enviado

Action name	Marcar como Enviado
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Do_Not_Display
Action order	1
With these properties	{"Assignments":[{"ColumnToEdit":"Ultimo_Envio","NewColumnValue":"=NOW()"}],"ColumnToEdit":"Ultimo_Envio","NewColumnValue":"=NOW()","InputParametersUsed":null,"Prominence":"Do_Not_Display","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	Ultimo_Envio
Set this column	Ultimo_Envio
Only if this condition is true	true
Disable automatic updates?	No
Action icon	✈

For a record of this table	VENTAS
Does this action apply to the whole table?	No
To this value	=NOW()
Visible?	ALWAYS

Action name Edit 2

Action name	Edit 2
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Attach to column	tasa formateada
Disable automatic updates?	No
Display name	EDITAR TASA
Action icon	⇵
For a record of this table	Tasa
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1

With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	🗑
For a record of this table	Tasa BCV
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Disable automatic updates?	No
Action icon	✎
For a record of this table	Tasa BCV
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes

Needs confirmation?	No
Prominence	Display_Overlay
Action order	1
With these properties	{"Prominence":"Display_Overlay","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	ADD_RECORD
Disable automatic updates?	No
Action icon	✚
For a record of this table	Tasa BCV
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Chart Data for Records de ventas

Action name	Chart Data for Records de ventas
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Prominently
Action order	1
With these properties	{"NavigateTarget":"=\"#page=fastTable&table=Records%20ventas\"","Prominence":"Display_Prominently","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP
Only if this condition is true	=CONTEXT("View") = "Records de ventas"
Disable automatic updates?	No
Display name	Data
Action icon	⊞
For a record of this table	Records ventas
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name Delete

Action name	Delete
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Prominently
Action order	1
With these properties	{"InputParametersUsed":null,"Prominence":"Display_Prominently","NeedsConfirmation":true,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true}
Do this	DELETE_RECORD
Disable automatic updates?	No
Action icon	🗑
For a record of this table	Filtros_Fechas
Does this action apply to the whole table?	No
Visible?	ADVANCED

Action name Edit

Action name	Edit
Bulk action?	No
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"DesktopBehavior":"Open a form","DesktopEditBehavior":"Edit in place","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":false}
Do this	EDIT_RECORD
Attach to column	VC_Rango_Header
Disable automatic updates?	No
Action icon	📝

For a record of this table	Filtros_Fechas
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Add

Action name	Add
Bulk action?	Yes
Modifies data?	Yes
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":true,"BulkApplicable":true }
Do this	ADD_RECORD
Attach to column	Nombre_Periodo
Disable automatic updates?	No
For a record of this table	Filtros_Fechas
Does this action apply to the whole table?	Yes
Visible?	ALWAYS

Action name BOTON ABRIR FILTRO RESUMEN

Action name	BOTON ABRIR FILTRO RESUMEN
Bulk action?	No
Modifies data?	No
Needs confirmation?	No
Prominence	Display_Inline
Action order	1
With these properties	{"NavigateTarget":"=LINKTOVIEW(\"Seleccionar Período\")","Prominence":"Display_Inline","NeedsConfirmation":false,"ConfirmationMessage":"","ModifiesData":false,"BulkApplicable":false}
Do this	NAVIGATE_APP

Attach to column	Boton_Filtro
Only if this condition is true	true
Disable automatic updates?	No
Action icon	📅
For a record of this table	Tasa
Does this action apply to the whole table?	No
Visible?	ALWAYS

Action name Aplicar Tasa BCV

Action name	Aplicar Tasa BCV
Bulk action?	Yes
Confirmation Message	¿Aplicar valor sugerido a ajuste de tasa?
Modifies data?	Yes
Needs confirmation?	Yes
Prominence	Display_Inline
Action order	1
With these properties	{"Assignments": [{"ColumnToEdit":"Tasa","NewColumnValue":"=MAXROW(\"tasa bcv\", \"_RowNumber\")"}],"ColumnToEdit":"Tasa","NewColumnValue":"=MAXROW(\"tasa bcv\", \"_RowNumber\")","InputParametersUsed":null,"Prominence":"Display_Inline","NeedsConfirmation":true,"ConfirmationMessage":"¿Aplicar valor sugerido a ajuste de tasa?","ModifiesData":true,"BulkApplicable":true}
Do this	SET_COLUMN_VALUE
Attach to column	SUGERENCIA BCV
Set this column	Tasa
Only if this condition is true	true
Disable automatic updates?	No
Action icon	⬆
For a record of this table	Tasa

Does this action apply to the whole table?	No
To this value	=MAXROW("tasa bcv", "_RowNumber")
Visible?	ALWAYS